



NOVALON® 2000

NOVALON®2000 is a concentrated degreaser and detergent for technical use. It is nontoxic, incombustible and of excellent biological degradability. It is used whenever NOVALON® may cause damage to the cleaned surface due to high alkalinity, i.e. especially for varnished surfaces, glass, aluminum etc. NOVALON®2000 can be also delivered with corrosion inhibitor.



USAGE

NOVALON®2000 is used for technical cleaning in industrial plants, car repair shops, food processing shops and for general maintenance. It is especially suitable for damageable surfaces like glass, non-ferrous metals, varnished surfaces etc. It is diluted with water in the ratio from 1:2 up to 1:100, according to the type and level of pollution. It is applied by spraying, painting or dipping and rinsed with water after several minutes. The use of a brush, paintbrush or pressure together with increase in temperature of the working solution up to 85 °C increases efficiency remarkably.

Dilution	A	B	C	D
Parts of NOVALON 2000	1	1	1	1
Parts of water	2	5	10	40-100

A - engines, machine tools, car components C - food-processing machines and plants

B - strongly polluted floors, machines D - high-pressure cleaning, general cleaning

BENEFITS

- It cleans excellently - it disturbs cohesive forces between the dirt and the surface; it emulsifies with the dirt to create an emulsion that can be easily rinsed with water and divided into two components - the dirt and the solution of NOVALON 2000
- Universal use

USER MANUAL

NOVALON 2000 is applied by spraying, painting or dipping and rinsed with water after several minutes. The use of a brush, paintbrush or pressure together with increase in temperature of the working solution up to 85 °C increases efficiency remarkably.

NOVALON® 2000

DISPOSAL

To be disposed of through sewage water treatment plant after separating oil products (through an oil separator etc.).

TECHNICAL DATA

Density (at 20 °C)	1065 kg/m ³
pH value (at 20 °C)	11-12
Inflammability	not inflammable

CONTENT

STOCK NUMBER

25 l can	225 025
40 l can	225 040
200 l barrel	225 200

RELATED PRODUCTS

INHIBITOR
KOROZE



KOHOUT 25,
30, 40, 200



PŘEČERPÁVACÍ
PUMPIČKA



ROT MAX



RUČNÍ
ROZPRAŠOVAČ
360°



SPÁDOVÁ
PUMPIČKA



NOVÝ
OTAVON®



NR® - INVISIBLE
GLOVES



REK®



RUČNÍ
ROZPRAŠOVAČ



NOVALON® 2000

All products of NOVATO® spol. s.r.o., which are a chemical mixture or a dangerous chemical mixture, are properly classified, marked and equipped with safety data sheets in accordance with the Chemical Act and relevant regulations within the EU. All hazardous mixtures have a safety data sheet, which is freely available on our website www.novato.cz, eventually at our sales representatives and in the sales department of the company. All users of NOVATO® products are legally required to familiarize themselves with the technical and safety data sheets of the product concerned to ensure proper use, storage and handling of the product. Our oral and written technical recommendations, which we transmit with the utmost knowledge, cannot cover all details and conditions of the application and do not exempt users from their own examinations and tests in relation to third party rights. Therefore, the user is obliged to perform tests and tests for individual applications in such a way as to eliminate all risks associated with the application of the chemical mixture, especially the hazardous chemical mixture, as these applications and their conditions are beyond our control possibilities. NOVATO® spol. s.r.o. guarantees the declared quality of its products and the properties described in the technical and safety data sheets.

NOVATO® spol. s.r.o., Uralská 6, 160 00 Prague 6, tel. : +420 233 339 688, fax: +420 224 315 198, e-mail: obchod@novato.cz, www.novato.cz