



NOVALON® 2000 T

NOVALON® 2000 T je koncentrovaný odmašťovací a čisticí prostředek s odpěňovačem pro technické použití. Je netoxický, nehořlavý a výborně biologicky rozložitelný. Používá se všude tam, kde NOVALON® může způsobit poškození čistěného povrchu díky své vysoké alkalitě, tj. zejména na lakované povrchy, sklo, hliník apod. NOVALON® 2000 T je možné dodat i s inhibítorem koroze. Výtečně čistí - narušuje soudržné síly mezi nečistotou a povrchem, s nečistotou emulguje na emulzi, kterou lze snadno opláchnout vodou a rozdělit na dvě složky - nečistotu a roztok NOVALONU® 2000 T.



USAGE

NOVALON® 2000 T se používá k technickému čištění v průmyslových podnicích, autoopravnách, potravinářských provozech a při všeobecné údržbě, je zejména vhodný na choulostivé povrchy, jako je sklo, barevné kovy, lakované plochy ap. Ředí se vodou podle typu a síly znečištění od 1 : 2 do 1 : 100.

BENEFITS

- univerzální v použití
- výtečně čistí - narušuje soudržné síly mezi nečistotou a povrchem, s nečistotou emulguje na emulzi, kterou lze snadno opláchnout vodou a rozdělit na dvě složky - nečistotu a roztok Novalonu 2000 T.

DOSAGE AND DILUTION

	díl NOVALONU®2000T	díl vody
motory, obráběcí stroje, autodíly	1	2
silně znečištěné, podlahy, stroje	1	5
potravinářské stroje a provozy	1	10
vysokotlaké a běžné čištění	1	40-100

NOVALON® 2000 T

USER MANUAL

NOVALON® 2000 T se nanáší stříkáním, natíráním nebo ponořením, po několika minutách působení se spláchne vodou. Použití štětce, kartáče nebo tlaku zároveň se zvýšením teploty pracovního roztoku až na 85 °C výrazně zvyšuje účinnost. Pro případné další snížení pěnivosti přidejte ODPĚŇOVAČ N 205.

DISPOSAL

Po oddělení ropných látek (lapol ap.) likvidujte přes kanalizační čistírnu.

CONTENT

STOCK NUMBER

25 l kanistr	226 025
40 l kanistr	226 040
200 l sud	226 200

RELATED PRODUCTS

INHIBITOR
KOROZE



KOHOUT 25,
30, 40, 200



PŘEČERPÁVACÍ
PUMPIČKA



ROT MAX



RUČNÍ
ROZPRAŠOVAČ
360°



SPÁDOVÁ
PUMPIČKA



NOVÝ
OTAVON®



NR® - INVISIBLE
GLOVES



REK®



NOVALON® 2000 T

All products of NOVATO® spol. s.r.o., which are a chemical mixture or a dangerous chemical mixture, are properly classified, marked and equipped with safety data sheets in accordance with the Chemical Act and relevant regulations within the EU. All hazardous mixtures have a safety data sheet, which is freely available on our website www.novato.cz, eventually at our sales representatives and in the sales department of the company. All users of NOVATO® products are legally required to familiarize themselves with the technical and safety data sheets of the product concerned to ensure proper use, storage and handling of the product. Our oral and written technical recommendations, which we transmit with the utmost knowledge, cannot cover all details and conditions of the application and do not exempt users from their own examinations and tests in relation to third party rights. Therefore, the user is obliged to perform tests and tests for individual applications in such a way as to eliminate all risks associated with the application of the chemical mixture, especially the hazardous chemical mixture, as these applications and their conditions are beyond our control possibilities. NOVATO® spol. s.r.o. guarantees the declared quality of its products and the properties described in the technical and safety data sheets.

NOVATO® spol. s.r.o., Uralská 6, 160 00 Prague 6, tel. : +420 233 339 688, fax: +420 224 315 198, e-mail: obchod@novato.cz, www.novato.cz