



ROT TECH P

Profesionální tlakový rozprašovač vhodný na aplikaci kapalin tvořících pěnu. Hlava rozprašovače je opatřena speciální tryskou vytvářející bohatou pěnu. Úhel rozptylu trysky je 110 °. Objem nádoby 1 l. Tlaková nádoba je opatřena automatickým bezpečnostním ventilem.

USER MANUAL

Odšroubujte hlavu rozprašovače a naplňte nádobu kapalinou maximálně po rysku 0,7 l. Našroubujte zpět hlavu rozprašovače a natlakujte pomocí tlakovací tyče. Pro nejlepší výsledky pěnu aplikujte vždy ve směru odspodu nahoru. Přípravek nechte působit a nakonec opláchněte. V případě nepoužívání tlakového rozprašovače jej odtlakujte pomocí bezpečnostního ventilu.

- 1. Ergonomické tlačítko pro usnadnění přesného dávkování.
- 2. Tlakovací tyč z pevného plastu odolávající většině chemikálií.
- 3. Bezpečnostní ventil automaticky odtlakuje nádobu při překročení tlaku 3 bary. Může být použit manuálně k odtlakování nádoby před otevřením.
- 4. Úhel rozptylu napěňovací trysky 110°.
- 5. Ochranný kryt chránící zpětnou klapku od přímého kontaktu s kapalinou a prodlužuje tak její životnost.
- 6. Ergonomické držadlo usnadňující manipulaci .
- 7. Filtr zabraňující průchodu pevných částic, které by mohly poškodit trysky.
- 8. Stabilní pevná základna.



CONTENT

1 ks

STOCK NUMBER

330 180

All products of NOVATO® spol. s.r.o., which are a chemical mixture or a dangerous chemical mixture, are properly classified, marked and equipped with safety data sheets in accordance with the Chemical Act and relevant regulations within the EU. All hazardous mixtures have a safety data sheet, which is freely available on our website www.novato.cz, eventually at our sales representatives and in the sales department of the company. All users of NOVATO® products are legally required to familiarize themselves with the technical and safety data sheets of the product concerned to ensure proper use, storage and handling of the product. Our oral and written technical recommendations, which we transmit with the utmost knowledge, cannot cover all details and conditions of the application and do not exempt users from their own examinations and tests in relation to third party rights. Therefore, the user is obliged to perform tests and tests for individual applications in such a way as to eliminate all risks associated with the application of the chemical mixture, especially the hazardous chemical mixture, as these applications and their conditions are beyond our control possibilities. NOVATO® spol. s.r.o. guarantees the declared quality of its products and the properties described in the technical and safety data sheets.

NOVATO® spol. s.r.o., Uralská 6, 160 00 Prague 6, tel. : +420 233 339 688, fax: +420 224 315 198, e-mail: obchod@novato.cz, www.novato.cz