


TS® HRANA



TS® HRANA je teplem smrštiteľná ochranná lemovka s vnútornou lepicou vrstvou, vyrobená z radiálne zesieťovaného polyolefinu.

USAGE

TS® HRANA sa používa k ochrane priamych a tvarovaných hran plechov, desek a tabulí z kovov, skla, dreva, plastov apod. Na vnútornú plochu je opatrená vrstvou tavného lepidla, ktoré sa po instalácii na chránenú hranu aktivuje prúdom horúceho vzduchu. Vzhľadom k tvarovej pamäti základného materiálu po smrštení (tvar „V“ sa smrští na tvar „U“) a výbornej prínavosti lepidla, vykazuje lemovka vysokú odolnosť voči mechanickému namáhaniu vo veľkom rozsahu pracovných teplôt.

BENEFITS

- spoľahlivá a odolná ochrana priamych i tvarovaných hran
- tvarová pamäť
- prínavosť k rôznym materiálom


USER MANUAL

Nejprve oddelte potrebný kus TS® HRANY a nasadte ji na hranu, která má být chráněna. Postupně ji zahřívejte horkým vzduchem a prsty lehce dotvarujte do potřebné podoby.

TECHNICAL DATA

Barva	černá
Rozsah provozních teplot	-55 °C až + 80 °C
Doporučená teplota zpracování	120 °C až 180 °C
Pevnost v tahu	min. 9 MPa (ISO 37)
Stárnutí při působení tepla	150 °C 168 hod
Doporučený minimální poloměr radiusu chráněné hrany	
TS HRANA - NR 6	10 mm
TS HRANA - NR 7	15 mm
TS HRANA - NR 8	20 mm
TS HRANA - NR 9	25 mm

Velikost	TS HRANA - NR 6	TS HRANA - NR 7	TS HRANA - NR 8	TS HRANA - NR 9
A (max.)	0,6	1,0	2,0	1,2
B (min.)	0,5	0,9	0,9	0,9
C (min.)	3,5	4,8	6,6	13,5
D (min.)	0,8	1,6	2,5	4,5
E (typická)	1,25	1,25	2,25	2,20



CONTENT

STOCK NUMBER

NR 6, 1 ks	700 260
NR 7, 1 ks	700 270
NR 8, 1 ks	700 280
NR 9, 1 ks	700 290

All products of NOVATO[®] spol. s.r.o., which are a chemical mixture or a dangerous chemical mixture, are properly classified, marked and equipped with safety data sheets in accordance with the Chemical Act and relevant regulations within the EU. All hazardous mixtures have a safety data sheet, which is freely available on our website www.novato.cz, eventually at our sales representatives and in the sales department of the company. All users of NOVATO[®] products are legally required to familiarize themselves with the technical and safety data sheets of the product concerned to ensure proper use, storage and handling of the product. Our oral and written technical recommendations, which we transmit with the utmost knowledge, cannot cover all details and conditions of the application and do not exempt users from their own examinations and tests in relation to third party rights. Therefore, the user is obliged to perform tests and tests for individual applications in such a way as to eliminate all risks associated with the application of the chemical mixture, especially the hazardous chemical mixture, as these applications and their conditions are beyond our control possibilities. NOVATO[®] spol. s.r.o. guarantees the declared quality of its products and the properties described in the technical and safety data sheets.

NOVATO[®] spol. s.r.o., Uralská 6, 160 00 Prague 6, tel. : +420 233 339 688, fax: +420 224 315 198, e-mail: obchod@novato.cz, www.novato.cz