

ŘEZŮN LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** ŘEZŮN LT
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use Cutting oil
- The use descriptors**
PW Widespread use by professional workers
- Mixture uses advised against The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
- Supplier**
- | | |
|-----------------------------|--|
| Name or trade name | NOVATO |
| Address | Uralská 770/6, Praha, 160 00
Czech Republic |
| Identification number (CRN) | 62910370 |
| VAT Reg No | CZ62910370 |
| Phone | +420 233 339 688 |
| E-mail | petr.johanides@novato.cz |
| Web address | www.novato.cz |
- Distributor**
- | | |
|-----------------------------|--|
| Name or trade name | NOVATO |
| Address | Uralská 770/6, Praha, 160 00
Czech Republic |
| Identification number (CRN) | 62910370 |
| VAT Reg No | CZ62910370 |
| Phone | +420 233 339 688 |
| E-mail | petr.johanides@novato.cz |
| Web address | www.novato.cz |
- Competent person responsible for the safety data sheet**
- | | |
|--------|----------------|
| Name | ABITEC |
| E-mail | info@abitec.cz |
- 1.4. Emergency telephone number**
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals. National Health Service (NHS) 111

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Lact., H362
Aquatic Acute 1, H400
Aquatic Chronic 1, H410

Full text of all classifications and hazard statements is given in the section 16.

REZOŇ LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

Most serious adverse physico-chemical effects

Thermal decomposition at high temperatures may release hazardous decomposition products. Avoid inhalation of decomposition products.

Most serious adverse effects on human health and the environment

Do not inhale the spray mixture. Skin contact may lead to an allergic reaction, with prolonged exposure to dermatitis. In sensitive individuals, it may cause mild eye irritation (tearing, burning, itching). The mixture is dangerous for infants through breast milk. Pregnant and lactating women should avoid contact with the mixture. Prolonged or repeated exposure may cause skin dryness or cracking. Nausea may occur if the liquid is ingested. Secure against confusion with beverages and food. The mixture is classified as very dangerous for the environment. Follow the instructions for use to avoid risks to humans and the environment. Do not allow to enter soil, ground or surface water or drains. The full text of the classifications and H-phrases is displayed in section 16 of this safety data sheet.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazard statements

- H362 May cause harm to breast-fed children.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of water and soap.
- P308+P313 IF exposed or concerned: Get medical advice/attention.

Supplemental information

- EUH066 Repeated exposure may cause skin dryness or cracking.
- EUH208 Contains Citronellal. May produce an allergic reaction.

2.3. Other hazards

The mixture or its components are not classified as PBT or vPvB nor are they listed on the candidate list for Annex XIV of the REACH Regulation as of the date of preparation of the SDS.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 602-095-00-X CAS: 85535-85-9 EC: 287-477-0	alkanes, C14-17, chloro	50-100	Lact., H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH066	
CAS: 106-23-0 EC: 203-376-6	Citronellal	<1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Specific concentration limit: Skin Irrit. 2, H315: C ≥ 10 % Eye Irrit. 2, H319: C ≥ 10 % Skin Sens. 1, H317: C ≥ 1 %	

REZON LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

If you feel any health problems or if in doubt, seek medical advice and provide information from this Safety Data Sheet. In the case of life-threatening conditions, resuscitate. Keep the unconscious person in a stabilized position and do not give anything by mouth. Avoid cool. Do not induce vomiting. For spontaneous vomiting, avoid inhalation of vomit.

If inhaled

If inhaled, stop exposure, flush the oral cavity with water, breathe fresh air. If respiratory tract irritation develops, seek medical attention.

If on skin

Wipe off the product, wash thoroughly with lukewarm soapy water and treat with a regenerating cream. If clothing is contaminated, remove clothing. Seek medical attention if signs of irritation or allergic reactions occur.

If in eyes

If it has affected contact lenses, remove them if possible. Open wide eyes rinse out of the inner corner of the eye toward the outside of a large amount of clean, lukewarm water, especially the area under the lids. Rinse for at least 15 minutes and seek medical attention.

If swallowed

Do not induce vomiting. Rinse your mouth with water, drink a glass of water. Seek medical advice and submit this Safety Data Sheet.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

not available

If on skin

May cause an allergic skin reaction. Prolonged or repeated exposure may cause skin dryness or cracking or dermatitis.

If in eyes

Direct eye contact may slightly irritate the eyes (tearing, burning, or inflammation of conjunctivae).

If swallowed

Ingestion may lead to irritation, nausea, abdominal pain.

4.3. Indication of any immediate medical attention and special treatment needed

No immediate medical attention is necessary if the mixture is used normally and adhered to in the instructions for use. Special treatment is required when symptoms reach a certain degree, as indicated in paragraphs 4.1 and 4.2; is symptomatic.

More information

The mixture is dangerous for infants through breast milk. Pregnant and lactating women should avoid contact with the mixture.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Mixture is not flammable, fire extinguisher adapted to fire in the area.

Unsuitable extinguishing media

Full stream of water.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition at high temperatures or fire may produce hazardous decomposition products. Do not inhale thermal decomposition products.

5.3. Advice for firefighters

Protective equipment adapt the nature of the fire. Insulating breathing apparatus, chemical protective suit. Keep containers away from fire if you can do so without risk. Cool containers exposed to fire with water spray or foam. Combustion residues as well as water after intervention should be disposed of as hazardous waste.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Prevent unauthorized entry, mark, secure and insulate spill area. Danger of slipping on spilled mixtures. Use personal protective equipment. Avoid contact with skin and eyes - use personal protective equipment. Avoid contact with heat sources.

REZOŇ LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

6.2. Environmental precautions

Secure the leak area, catch the leaking mixture. Prevent leakage into drains, soil, surface and ground water by fencing off the leak with a suitable sorbent or by creating catch lagoons. In case of a large liquid leak, monitor the NPK concentrations resp. TLV and inform the relevant government authorities and the flow or sewerage manager.

6.3. Methods and material for containment and cleaning up

In the event of a large spill, stop the spill and drain the mixture. In case of a small leak, cover with a sorbent (universal sorbent, sand, diatomaceous earth, sawdust, soil, vermiculite, etc.), store the used sorbent in a closable waste container, label and dispose of as hazardous waste. Wash contaminated area.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with heat sources. Protect against direct sunlight. Protect eyes and skin, avoid inhalation of mist, use personal protective equipment according to sec. 8. The work area should be equipped with a source of drinking water. Keep container with mixture closed and secured against tipping over. Observe the applicable health and safety legislation. Follow the principles of hygiene when working with chemicals, do not eat, drink or smoke while working. Wash hands with warm soap and water before breaks, meals and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store closed with the lid up in the original packaging at a temperature between 5 - 25 ° C. Store away from heat sources, protect from direct sunlight, do not smoke. Store away from food, drink and animal feeding stuffs. Store away from strong acids, bases and oxidizing agents. Follow the instructions on the label.

Content	1 l, 5 l, 25 l
Packaging type	bottle, canister
Material of package	PE (7), Polyethylene (Plastics)



Storage temperature max.25 °C

The specific requirements or rules relating to the substance/mixture

Recommended material of packaging and tanks: steel, stainless steel, HDPE, HDPP, Teflon. Unsuitable material for tanks: aluminum.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information of limit values

The mixture does not contain components with set national exposure limits according to Annex 2, Government Regulation 361/2007 Coll., As amended, or according to the European Union for the working environment. Ensure compliance with Government Regulation 361/2007 Coll., Which lays down the conditions for health protection at work, as amended, and fulfill the obligations contained therein.

8.2. Exposure controls

Ensure sufficient ventilation or extraction of the work area. Avoid contact with skin and eyes, do not breathe mist. Avoid exposure. Observe hygienic measures when working with chemicals. The work area should be equipped with a source of drinking water. Do not eat, drink or smoke while working. Wash hands with lukewarm soap and water before breaks, meals and after work.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Protective gloves (eg: nitrile, rubber material, etc.) - when choosing, follow the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Before first use, test at a specific workplace. Replace damaged gloves. Protective work clothing. Wash affected skin, take off contaminated clothing, wash before reuse.

REZOŇ LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

Respiratory protection

Not needed. In case of insufficient ventilation or formation of fog, use a mask with a filter against organic vapors and aerosols, type A. In case of accident, wear self-contained breathing apparatus.

Thermal hazard

Not Specified. Avoid heating the mixture and exposure to elevated temperatures.

Environmental exposure controls

The mixture is very dangerous for the environment. Prevent leakage into drains, soil, surface and ground water by fencing off the leak with a suitable sorbent or by creating catch lagoons.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	liquid
physical state	liquid at 20 °C
color	red
Odour	characteristic
Odour threshold	data not available
pH	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	200 °C
Flash point	>210 °C
Evaporation rate	data not available
Flammability (solid, gas)	The product is non-flammable.
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	data not available
Vapour pressure	data not available
Vapour density	data not available
Relative density	1120 kg / m ³ at 25 °C
Solubility(ies)	
solubility in water	immiscible
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	200 °C
Viscosity	data not available
Kinematic viscosity	115 mm ² /s at 40 °C
Explosive properties	data not available
Oxidising properties	data not available

9.2. Other information

Density	data not available
ignition temperature	data not available

SECTION 10: Stability and reactivity**10.1. Reactivity**

There is no danger of reaction if the recommended use is adhered to.

10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

10.3. Possibility of hazardous reactions

Upon prolonged heating above 70 °C or briefly above 200 °C, the mixture decomposes to form hydrogen chloride.

REZON LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

10.4. Conditions to avoid

Contact with heat sources, high temperatures.

10.5. Incompatible materials

Strong oxidizing agents, strong acids and bases.

10.6. Hazardous decomposition products

Under normal conditions, the mixture is not decomposed. Incomplete combustion or thermal decomposition produces toxic products of combustion (COx, NOx, hydrocarbons, etc.).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Due to the properties of the product, it is an acutely non-toxic product. The mixture is dangerous for infants through breast milk. Pregnant and lactating women should avoid contact with the mixture. In sensitive individuals, it may cause mild eye irritation (tearing, burning, itching, conjunctivitis). The mixture contains a sensitizing component. May cause an allergic skin reaction, with prolonged exposure to dermatitis. Prolonged or repeated exposure may cause skin dryness or cracking. Nausea may occur if the liquid is ingested.

Acute toxicity

The mixture is not classified as acutely toxic by any way of exposure.

alkanes, C14-17, chloro

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	2000-4000 mg/kg		Rat	

Citronellal

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	2555 mg/kg		Rat	

Skin corrosion/irritation

Irritating to the skin. Long-term skin contact can cause dry skin and crack up to dermatitis.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. The mixture contains a component classified as skin sensitizing in an amount below the specified concentration limit. May cause an allergic reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

The mixture can harm a breast-fed baby through breast milk.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

REZON LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

The ecotoxic effects of the mixture itself have not been assessed.

alkanes, C14-17, chloro

Parameter	Value	Time of exposure	Species	Environment
LC ₅₀	>500 mg/l	48 hour	Fishes (Leuciscus idus)	
EC ₅₀	300 µg/l	48 hour	Invertebrates (Daphnia magna)	

More information

The mixture is dangerous. Prevent liquid from entering drains and groundwater or surface water.

12.2. Persistence and degradability

The mixture is difficult to biodegrade.

12.3. Bioaccumulative potential

Not determined, bioaccumulation is unlikely.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Has not been done.

12.6. Other adverse effects

Water hazard class (WGK): 3 Very hazardous for the aquatic environment. The mixture is very dangerous for the environment, even small amounts can contaminate drinking water sources. The mixture must not be allowed to enter soil, ground or surface water or drains. Observe environmental precautions.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal of the mixture: Dispose of as hazardous waste, dispose of it to the authorized person or to the hazardous waste collection yard. Dispose of residues of the mixture and the packaging in accordance with local waste disposal regulations. Suitable methods for disposal of contaminated packaging: Dispose of as hazardous waste according to local regulations. Uncontaminated packaging can be recycled.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Act No. 477/2001 Coll., On Packaging, as amended.

Waste type code

13 02 04 mineral-based chlorinated engine, gear and lubricating oils *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number

UN 3082

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

9 Miscellaneous dangerous substances and articles

14.4. Packing group

III - substances presenting low danger

14.5. Environmental hazards

Yes.

14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code


Can not be used.

REZON LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

Additional information

Hazard identification No.		90
UN number		3082
Classification code		M6
Safety signs		9+hazardous for the environment



Road transport - ADR

Special provisions		274, 335, 375, 601
Limited quantities		5 L
Excepted quantities		E1

Packaging

Packing instructions		P001, IBC03, LP01, R001
Special packing provisions		PP1
Mixed packing provisions		MP19

Portable tanks and bulk containers

Guidelines		T4
Special provisions		TP1, TP29

ADR tank

Tank code		LGBV
Vehicles for tank carriage		AT
Transport category		3
Tunnel restriction code		(-)

Special provision for

packages		V12
loading, unloading and handling		CV13

Railway transport - RID

Special provisions		274, 335, 375, 601
Excepted quantities		E1

Packaging

Packing instructions		P001, IBC03, LP01, R001
Special packing provisions		PP1
Mixed packing provisions		MP19

Portable tanks and bulk containers

Guidelines		T4
Special provisions		TP1, TP29

RID Tanks

Tank code		LGBV
Transport category		0

Special provision for

packages		W 12
loading, unloading and handling		CW 13

Air transport - ICAO/IATA

Packaging instructions for limited amount		Y964
Packaging instructions passenger		964
Cargo packaging instructions		964

Marine transport - IMDG

EmS (emergency plan)		F-A, S-F
Marine Pollutant		Yes

REZON LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). Labor Code No. 262/2006, as amended. The Act No. 258/2000 Coll., on Protection of Public Health as amended. Decree laying down the hygienic limits of chemical, physical and biological indicators for indoor living rooms of some buildings No. 6/2003 Coll. Government Regulation laying down the conditions for the protection of health at work No. 9/2013 Coll. as amended. Decree No. 21/2018 Coll., amending the Decree No. 194/2001 Coll., laying down technical requirements for aerosol sprays as amended. The Act No. 201/2012 Coll., on the Protection of Atmosphere – Clean Air Act as amended. Decree No. 415/2012 Coll., On the permissible level of pollution and its detection and on the implementation of certain other provisions of the Air Protection Act. The Act No. 185/2001 Coll., on Waste and the Amendment of Some Other Acts as amended. Act No. 66/2006 Coll., On packaging, as amended. Water Act No. 150/2010 Coll., Amending Act No. 254/2001 Coll., On Water and on Amendments to Certain Acts (Water Act), as amended, and Act No. 200/1990 Coll., On offenses, as amended. Act No. 133/1985 Coll., As amended. Fire Prevention Regulation.

National regulations (Germany)

WGK Water hazard class: WGK 3 - highly hazardous to water

15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

More information

This information only indicates the basic regulations listed in this Safety Data Sheet. Please note the possible existence of additional regulations supplementing these Regulations. We refer to all applicable national, international and local regulations and regulations.

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P308+P313	IF exposed or concerned: Get medical advice/attention.

A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains Citronellal. May produce an allergic reaction.

Other important information about human health protection

The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population

REZON LT

Creation date	15th January 2013	Version	3
Revision date	25th July 2015		

EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
NPK	Maximum admissible concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Irrit.	Eye irritation
Lact.	Lactation
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization

Training guidelines

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended.

Recommended restrictions of use

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Information about data sources used to compile the Safety Data Sheet

Manufacturer data and toxicological databases.

The changes (which information has been added, deleted or modified)

Updating the Safety Data Sheet in accordance with Commission Regulation (EU) No. 2015/830.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

ŘEZŇ LT

Creation date	15th January 2013		
Revision date	25th July 2015	Version	3

Statement

The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.

