

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003

Revision date 23rd December 2022 Version 16

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier NOVALON 3000 W

Substance / mixture mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Cleaning and degreasing agent

The use descriptors

IS Use at industrial sites

PW Widespread use by professional workers

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name NOVATO

Address Uralská 770/6, Praha, 160 00

Czech Republic

Identification number (CRN)62910370VAT Reg NoCZ62910370Phone+420 233 339 688E-mailpetr.johanides@novato.cz

Web address www.novato.cz

Competent person responsible for the safety data sheet

Name ABITEC
E-mail info@abitec.cz

1.4. Emergency telephone number

European emergency number: 112

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

### Most serious adverse physico-chemical effects

Thermal decomposition at high temperatures may release dangerous decomposition products. Avoid inhalation of decomposition products.

### Most serious adverse effects on human health and the environment

The mixture is basic. It has strong irritating effects on the eyes (burning, itching, conjunctivitis up to corneal damage, exceptionally vision damage). It irritates the skin (redness, burning, itching). Inhalation of vapors or sprayed mixture can cause irritation of the mucous membranes and respiratory tract with coughing, shortness of breath. Do not inhale spray or vapors. The mixture contains a reproductively toxic component in an amount below the specified limit, pregnant women should avoid contact with the mixture. Avoid repeated or prolonged exposure. Ingestion of the liquid may cause digestive problems, nausea, and abdominal pain. Ensure against confusion with drinks. The mixture is classified as harmful to the environment. Follow the instructions for use to avoid risks to people and the environment. The full wording of the classification and H phrases is given in Sect. 16 of this safety data sheet.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2022

23rd December 2022 Version 16

### 2.2. Label elements

### Hazard pictogram





#### Signal word

Danger

#### **Hazard statements**

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

Neither the mixture nor its components meet the criteria for persistent, bioaccumulative and toxic or highly persistent and highly bioaccumulative substances in accordance with Annex XIII, nor have they been included in the list drawn up in accordance with Article 59, paragraph 1, due to the content of endocrine disruptors, nor has it been determined as a substance with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixture.

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-030-00-8 CAS: 141-43-5 EC: 205-483-3 Registration number: 01-2119486455-28	2-aminoethanol	5-10	Acute Tox. 4, H302, H312, H332 Skin Corr. 1B, H314 Specific concentration limit: STOT SE 3, H335: $C \ge 5$ %	2
CAS: 61791-14-8 EC: 500-152-2	Ethoxylated coconut amine	5-10	Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 10 %	
Index: 005-007-00-2 CAS: 10043-35-3 EC: 233-139-2	boric acid	3-5	Repr. 1B, H360FD Specific concentration limit: Repr. 1B, H360FD: C ≥ 5.5 %	1, 3, 4



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003
Revision date 23rd December 2022

Version

16

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 61791-26-2 EC: 500-153-8	Amines, tallow alkyl, ethoxylated	1-2	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 1, H410 (M=1) Specific concentration limit: Eye Dam. 1, H318: $C \ge 3$ % Eye Irrit. 2, H319: $1 \% \le C < 3$ % Skin Irrit. 2, H315: $C \ge 10$ % Aquatic Chronic 1, H410: $C \ge 25$ %	
Index: 603-071-00-1 CAS: 111-42-2 EC: 203-868-0	2,2'-iminodiethanol	<1	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2 (**), H373 Specific concentration limit: STOT RE 2, H373: $C \ge 10 \%$ Skin Irrit. 2, H315: $C \ge 10 \%$	2

#### **Notes**

- \*\* another exposure route cannot be ruled out
- 1 Note 11: The classification of mixtures as reproductive toxicant is necessary if the sum of the concentrations of individual boron compounds that are classified as reproductive toxicant in the mixture as placed on the market is  $\geq 0.3$  %.
- 2 A substance for which exposure limits are set.
- 3 Substance of very high concern SVHC.
- 4 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

In case of exposure, in case of suspected exposure or in case of symptoms of health problems, seek medical attention and provide him with the information from this safety data sheet. When providing first aid, ensure the safety of the rescuer and the rescued. In case of skin burns, rinse with water and cover with a sterile bandage. In case of life-threatening conditions, perform resuscitation. Place the unconscious person in a stable position and do not give anything by mouth. If necessary (respiratory arrest or irregular breathing), perform artificial respiration. Avoid catching cold. Do not induce vomiting. In case of spontaneous vomiting, prevent inhalation of vomitus.

#### If inhaled

Stop exposure immediately, rinse mouth with water, breathe fresh air. If clothing is affected, remove clothing. Keep the victim calm and protect against catching cold. If necessary (respiratory arrest or irregular breathing), perform artificial respiration with a breathing bag, not directly from mouth to mouth. If respiratory tract irritation occurs, seek medical attention.

### If on skin

Remove affected clothing. Remove obstacles (rings, bracelets, watches, etc.) at the point of contact with the skin. Wipe off the product, wash thoroughly with water if the skin has not been damaged with soap, and treat with a regenerating cream. If symptoms of irritation occur, seek medical attention.

#### If in eyes

Rinse the eyes and their surroundings. If the victim wears contact lenses, remove them. With the eyes wide open, rinse from the inner corner of the eye towards the outer with a large amount of clean, lukewarm water, especially the area under the lids. Rinse for at least 15 min., seek medical treatment. Wash the eyes also during transport to the doctor.

### If swallowed

Do not induce vomiting. Rinse mouth with water and drink several glasses of water (only if victim is conscious and not in pain). Seek medical attention and present this safety data sheet.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2022

ersion 16

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhalation of vapors or sprayed mixture can cause irritation of the mucous membranes and respiratory tract with coughing, shortness of breath. Do not inhale spray or vapors. The mixture contains a reproductively toxic component in an amount below the specified limit, pregnant women should avoid contact with the mixture. Avoid repeated or prolonged exposure.

#### If on skin

It irritates the skin (redness, burning, itching).

#### If in eyes

The mixture shows strong irritating effects on the eyes (burning, itching, inflammation of the conjunctivitis up to corneal damage, rarely vision damage).

#### If swallowed

Ingestion of the liquid may cause digestive problems, nausea, and abdominal pain.

### 4.3. Indication of any immediate medical attention and special treatment needed

With the usual use of the mixture and compliance with the instructions in the instructions for use, immediate medical help is not necessary. Special treatment is required if the symptoms reach a certain degree, according to the data in paragraphs 4.1 and 4.2; is symptomatic. The mixture contains surfactants - danger of foaming in case of vomiting.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

The mixture is not flammable, match the fire extinguishers to the surrounding fire.

#### Unsuitable extinguishing media

They are not.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition at high temperatures can produce dangerous decomposition products (COx, NOx, organic amines, etc.). Do not inhale decomposition products. Explosive mixtures can form in the mixture with air when exposed to elevated temperatures.

### 5.3. Advice for firefighters

Adapt the protective equipment to the nature of the fire, due to the properties of the mixture they are not required. Remove packaging from fire if you can do so without risk. Combustion residues and water after intervention should be disposed of as hazardous waste.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Prevent the entry of unauthorized persons, mark, secure and isolate the escape area. Ensure adequate ventilation. Avoid breathing the sprayed mixture and vapors. Avoid contact with skin and eyes - use personal protective equipment. Avoid contact with heat sources.

### 6.2. Environmental precautions

Secure the area of the leak, catch the leaking mixture. Avoid release to sewers, soil, surface and ground water. In the event of a large liquid leak, monitor the concentrations of NPK or TLV and inform the relevant state authorities and the stream or sewer manager.

### 6.3. Methods and material for containment and cleaning up

In case of a large leak, stop the leak and drain the mixture. In the event of a small leak, cover with a suitable sorbent (universal sorbent, sand, diatomaceous earth, soil, sawdust, vapex, rags, etc.), store the used sorbent in a closable waste container and dispose of it as hazardous waste. Wash the contaminated area, do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

### **NOVALON 3000 W**

Creation date 22nd October 2003

Revision date 23rd December 2022 Version 16

### **SECTION 7: Handling and storage**

#### Precautions for safe handling

Ensure sufficient ventilation of the work area. Protect the eyes and skin, do not inhale the sprayed mixture or vapors, use personal protective equipment according to sec. 8. The work area should be equipped with a source of drinking water to provide first aid. The container with the mixture must remain closed and secured against overturning. Avoid contact with heat sources.

Observe the applicable health and safety legislation. Observe the principles of hygiene when working with chemicals, do not eat, drink or smoke while working. Wash your hands with warm soapy water before breaks, meals and after

#### 7.2. Conditions for safe storage, including any incompatibilities

Store tightly closed with the cap facing up in the original packaging at a temperature between 5 - 25 °C. Store away from heat sources. Store away from food, drink and feed. Store away from strong acids and oxidizing agents. Follow the directions on the label.

Content	Packaging type	Material of package
25 I	jerry can	HDPE
200 l	barrel / drum	HDPE

Storage temperature

max. 25 °C

#### 7.3. Specific end use(s)

not available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

### **Czech Republic**

### Government Regulation 330/2023 Coll.

Substance name (component)	Туре	Value	Conversion for ppm	Note
	PEL	2,5 mg/m <sup>3</sup>	0,394	
	PEL	1 ppm	0,394	irritating to mucous membranes (eyes,
2-aminoethanol (CAS: 141-43-5)	NPK-P	7,6 mg/m³	0,394	respiratory system) and skin
	NPK-P	3 ppm	0,394	
2.2' iminodiathanal (CAS: 111.42.2)	PEL	5 mg/m³		irritating to mucous membranes (eyes,
2,2'-iminodiethanol (CAS: 111-42-2)	NPK-P	10 mg/m <sup>3</sup>		respiratory system) and skin



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2023

23rd December 2022 Version 16

### **Czech Republic**

### Government Regulation 41/2020 Coll.

Substance name (component)	Туре	Value	Conversion for ppm	Note
2-aminoethanol (CAS: 141-43-5)	PEL	2,5 mg/m³	0,394	irritating to mucous membranes (eyes,
	NPK-P	7,5 mg/m³	0,394	respiratory system) and skin

### **European Union**

### Commission Directive 2006/15/EC

Substance name (component)	Туре	Value	Note
	OEL 8 hours	2,5 mg/m <sup>3</sup>	
	OEL 8 hours	1 ppm	
2-aminoethanol (CAS: 141-43-5)	OEL 15 minutes	7,6 mg/m <sup>3</sup>	Skin
	OEL 15 minutes	3 ppm	

### 8.2. Exposure controls

Ensure sufficient ventilation, or extraction of the working space. Avoid contact with skin and eyes, do not inhale vapors or sprayed mixture. Observe hygienic measures for working with chemicals. The work area should be equipped with sources of drinking water. Do not eat, drink or smoke while working. Wash your hands and face with lukewarm water and soap before breaks, meals and after work. Adapt personal protective equipment to the nature of the work.

### Eye/face protection

Closed safety glasses or, depending on the nature of the work performed, a face shield.

### Skin protection

Protective work clothing. Wash affected skin, remove contaminated clothing, wash before further use. Protective gloves (eg: nitrile rubber 0.35 mm, butyl rubber, etc.) - when choosing, follow the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Test at a specific workplace before first use. Replace damaged gloves.

### Respiratory protection

Not necessary. In case of intensive or long-term exposure and insufficient ventilation, use a mask with a filter against organic vapors and aerosols, type A.

### Thermal hazard

Undetermined. Avoid heating the mixture and exposure to elevated temperatures.

#### **Environmental exposure controls**

Avoid release to sewers, ground and surface water and soil. Observe the usual environmental protection measures.

### More information

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical stateliquidColouryellowOdourcharacteristicMelting point/freezing pointdata not available

Boiling point or initial boiling point and boiling range >100 °C



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2022

Version 16

Flammability
Lower and upper explosion limit

Flash point
Auto-ignition temperature
Decomposition temperature

Kinematic viscosity Solubility in water

Partition coefficient n-octanol/water (log value) Vapour pressure

Density and/or relative density Relative vapour density Particle characteristics

9.2. Other information

Density: 1.050 - 1.100 kg/m3

The product is non-flammable.

data not available data not available data not available data not available 11 (undiluted) data not available

miscible

data not available data not available data not available data not available data not available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

There is no danger of reaction if the recommended use is adhered to.

#### 10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

### 10.3. Possibility of hazardous reactions

If the recommended method of use is followed, they are not. In contact with strong acids or oxidizing agents, an exothermic reaction may occur. Explosive mixtures can form in the mixture with air when exposed to elevated temperatures.

### 10.4. Conditions to avoid

Frost, temperatures outside the range of 5 °C - 25 °C.

### 10.5. Incompatible materials

Data not available.

### 10.6. Hazardous decomposition products

Under normal conditions, the mixture does not decompose. Thermal decomposition at high temperatures produces dangerous combustion products: COx, NOx, organic amines, etc.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture meets the criteria for classification according to EC Regulation No. 1272/2008. The mixture is classified as dangerous in the sense of EC Regulation No. 1272/2008, as amended.

#### **Acute toxicity**

The mixture is not classified as acutely toxic by any way of exposure.

2,2'-iminodiethanol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Oral	LD50	1100 mg/kg		Rat (Rattus norvegicus)		

2-aminoethanol							
Route of exposure	Parameter	Value	Exposure time	Species	Sex		
Oral	LD50	1515 mg/kg		Rat (Rattus norvegicus)			
Dermal	LD50	1840-3451 mg/kg		Rabbit			



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2022

Version

16

2-aminoethanol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Inhalation	LD50	1.3 mg/l	6 hours	Rat (Rattus norvegicus)		

Amines, tallow alkyl, ethoxylated						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Oral	LD50	500-2000 mg/kg		Rat (Rattus norvegicus)		

boric acid						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Oral	LD50	2660 mg/kg		Rat (Rattus norvegicus)		
Inhalation	LD50	>2.03 mg/l	5 hours	Rat (Rattus norvegicus)		
Dermal	LD50	>2000 mg/kg		Rabbit		

Ethoxylated coconut amine						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Oral	LD50	500-2000 mg/kg	AI	Rat (Rattus norvegicus)		

### Skin corrosion/irritation

The mixture is classified as skin irritant, category 2.

### Serious eye damage/irritation

The mixture is classified as harmful to the eyes, category 1.

### Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on the available data, the classification criteria are not met.

### Carcinogenicity

Based on the available data, the classification criteria are not met.

### Reproductive toxicity

The mixture contains a reproductively toxic component in an amount below the specified specific concentration limit.

### Toxicity for specific target organ - single exposure

The mixture is classified as toxic to specific target organs after single exposure, category 3. The mixture can cause respiratory tract irritation.

### Toxicity for specific target organ - repeated exposure

The mixture is not classified as toxic on repeated exposure.

#### **Aspiration hazard**

Based on the available data, the classification criteria are not met.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2022

Version 16

#### 11.2. Information on other hazards

It does not contain substances causing disruption of the endocrine system. The mixture shows strong irritating effects on the eyes (burning, itching, inflammation of the conjunctivitis up to corneal damage, rarely vision damage). It irritates the skin (redness, burning, even skin irritation). Inhalation of vapors or sprayed mixture can cause irritation of the mucous membranes and respiratory tract with coughing, shortness of breath. Do not inhale spray or vapors. The mixture contains a reproductively toxic component in an amount below the specified limit, pregnant women should avoid contact with the mixture. Avoid repeated or prolonged exposure. Ingestion of the liquid may cause digestive problems, nausea, and abdominal pain.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The ecotoxic effects of the mixture were not assessed. Observe the usual environmental precautions.

#### **Acute toxicity**

2,2'-iminodiethanol				
Parameter	Value	Exposure time	Species	Environment
LC50	1460 mg/l	96 hours	Fish (Pimephales promelas)	
EC50	30.1 mg/l	48 hours	Invertebrates (Daphnia magna)	

2-aminoethanol				
Parameter	Value	Exposure time	Species	Environment
EC50	65 mg/l	24 hours	Invertebrates (Daphnia magna)	
NI50	165 mg/l	24 hours	Fish	

Amines, tallow alkyl, ethoxylated				
Parameter	Value	Exposure time	Species	Environment
LC50	0.1-1 mg/kg	96 hours	Fish (Pimephales promelas)	

boric acid				
Parameter	Value	Exposure time	Species	Environment
EC50	658-875 mg/l	48 hours	Invertebrates (Daphnia magna)	

Ethoxylated coconut amine				
Parameter	Value	Exposure time	Species	Environment
LC50	0.1-1 mg/l	96 hours	Fish	

### 12.2. Persistence and degradability

The mixture is biodegradable (fatty amine ethoxylate - degree of elimination approx. 35% (OECD 302 B). Other components - degradability > 70%.

### 12.3. Bioaccumulative potential

Not determined, bioaccumulation is not likely.

### 12.4. Mobility in soil

The mixture is miscible with water, contains surfactants.

### 12.5. Results of PBT and vPvB assessment



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003 Revision date 23rd December 2022

23rd December 2022 Version 16

The mixture does not contain substances from the PBT and vPvB groups according to Annex XIII of the REACH Regulation, as amended.

### 12.6. Endocrine disrupting properties

Substances with these properties in accordance with the criteria set out in Commission Regulation (EU) 2017/2100 or (EU) 2018/605 are not included.

#### 12.7. Other adverse effects

The mixture is harmful to the environment. It must not get into the soil, underground or surface water or sewage system. Observe the usual environmental protection measures.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Dispose of unused mixture residues as hazardous waste, hand them over to an authorized person for disposal. A smaller amount of the used diluted solution can be processed at the WWTP together with water from surface treatments. When disposing of the working bath, proceed according to the application instructions for the mentioned product, taking into account the specific method of application and technological conditions; dispose of degraded packaging at a hazardous waste landfill or by burning in an incinerator. Dispose of mixture and packaging residues in accordance with local waste disposal regulations.

### Waste management legislation

Act No. 477/2001 Coll., On Packaging, as amended. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

#### Waste type code

20 01 29\* detergents containing hazardous substances

#### Packaging waste type code

15 01 10\* packaging containing residues of or contaminated by hazardous substances

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

### **SECTION 14: Transport information**

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date	22nd October 2003		
Revision date	23rd December 2022	Version	16

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Commission Delegated Regulation (EU) 2021/849 of 11 March 2021 amending, for the purposes of adapting to technical and scientific progress, Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of substances and mixtures. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals.

### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

### boric acid

Restriction	Conditions of restriction
30	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:  1. Shall not be placed on the market, or used,  — as substances,
	<ul> <li>as constituents of other substances, or,</li> <li>in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:</li> </ul>
	— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	<ul> <li>the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li> </ul>
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	<ul> <li>motor fuels which are covered by Directive 98/70/EC,</li> <li>mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li> <li>fuels sold in closed systems (e.g. liquid gas bottles);</li> </ul>
	(d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
	(f) devices covered by Regulation (EU) 2017/745.

## Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

# 5-<15 % non-ionic surfactants 15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

#### More information

This information only indicates the basic regulations listed in this Safety Data Sheet. Please note the possible existence of additional regulations supplementing these Regulations. We refer to all applicable national, international and local regulations and regulations.

### **SECTION 16: Other information**



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003
Revision date 23rd December 2022 Version 16

A list of standard risk phrases used in the safety data sheet

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

#### Other important information about human health protection

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the supplier can not control the specific conditions of use of the mixture, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCIInternational Nomenclature of Cosmetic IngredientsISOInternational Organization for StandardizationIUPACInternational Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient NPK Maximum admissible concentration



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

### **NOVALON 3000 W**

Creation date 22nd October 2003
Revision date 23rd December 2022 Version 16

OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

PEL Permissible Exposure Limit

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage Repr. Reproductive toxicity Skin Corr. Skin corrosion

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

### **Training guidelines**

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended. Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product

### **Recommended restrictions of use**

not available

### Information about data sources used to compile the Safety Data Sheet

Manufacturer data and toxicological databases.

### The changes (which information has been added, deleted or modified)

Adaptation of BL updated Annex II of the REACH Regulation as amended by Commission Regulation (EU) 2020/878.

### **Statement**

The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.