

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003

Revision date 21st November 2022 Version 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier NOVATIM
Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Spray for impregnating leather and textile materials against moisture and water

The use descriptors

IS Use at industrial sites

PW Widespread use by professional workers

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name NOVATO

Address Uralská 770/6, Praha, 160 00

Czech Republic

Identification number (CRN) 62910370
VAT Reg No CZ62910370
Phone +420 233 339 688

E-mail petr.johanides@novato.cz
Web address www.novato.cz

Competent person responsible for the safety data sheet

Name ABITEC
E-mail info@abitec.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Most serious adverse physico-chemical effects

The mixture is extremely flammable. The container is under pressure: do not expose to sunlight and temperatures above 50 °C. Do not even puncture the empty container or throw it into the fire. Do not spray on open flames or hot objects. Keep away from sources of ignition - No smoking. Keep out of reach of children.

Most serious adverse effects on human health and the environment

Inhaling the aerosol can cause headaches, fatigue. Do not inhale the aerosol. It irritates the skin (redness, itching, burning and even dermatitis). Direct eye contact causes eye irritation (watering, burning, itching, redness and conjunctivitis). The mixture may, depending on individual sensitivity, cause an allergic skin reaction (contact dermatitis - redness, swelling, pimples, blisters). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. The mixture is classified as harmful to the environment. Follow the instructions for use to avoid risks to people and the environment. The liquid is lighter than water and can cover the surface of the water. Avoid release to soil, ground or surface water or sewers. The full wording of the classification and H phrases is given in Sect. 16 of this safety data sheet.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

2.2. Label elements

Hazard pictogram







Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.
P261 Avoid breathing mist/vapours/spray.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
P501 Dispose of contents/container to in accordance with local regulations.

2.3. Other hazards

Neither the mixture nor its components meet the criteria for persistent, bioaccumulative and toxic or highly persistent and highly bioaccumulative substances in accordance with Annex XIII, nor have they been included in the list drawn up in accordance with Article 59, paragraph 1, due to the content of endocrine disruptors, nor has it been determined as a substance with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-008-00-2 CAS: 142-82-5 EC: 205-563-8	heptane	50-60	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Specific concentration limit: Asp. Tox. 1, H304: $C \ge 10 \%$ Skin Irrit. 2, H315: $C \ge 25 \%$ STOT SE 3, H336: $C \ge 20 \%$	1, 3



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

15

Creation date 22nd October 2003
Revision date 21st November 2022 Version

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-018-00-7 CAS: 108-87-2 EC: 203-624-3	methylcyclohexane	10-15	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411 Specific concentration limit: Asp. Tox. 1, H304; Skin Irrit. 2, H315: $C \ge 10 \%$ STOT SE 3, H336: $C \ge 20 \%$	3
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	7-10	Flam. Gas 1, H220 Press. Gas, H280	
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane	7-10	Flam. Gas 1, H220 Press. Gas, H280	
Index: 601-004-00-0 CAS: 75-28-5 EC: 200-857-2	isobutane	6-10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 2
Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1	n-butyl acetate	5-10	Flam. Liq. 3, H226 STOT SE 3, H336 Specific concentration limit: STOT SE 3, H336: $C \ge 20 \%$	3

Notes

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.)

Press. Gas (Diss.)

Tress. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

3 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of health problems or in case of doubt, consult a physician and provide him with the information in this safety data sheet. In case of life-threatening conditions, perform resuscitation. Keep unconscious person in a stabilized position and do not give anything by mouth. Avoid cooling. Do not induce vomiting. In case of spontaneous vomiting, avoid inhalation of vomitus. If burns occur, cool the burn with cold water and cover with a clean cloth.

If inhaled

If inhaled, leave the area, rinse the mouth with water, inhale fresh air. If breathing is difficult, give first aid and seek medical advice.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

If on skin

Wipe the product, wash thoroughly with lukewarm water, soap and treat with regenerating cream. If clothing is contaminated, remove clothing. Seek medical attention if irritation develops.

If in eyes

If the affected person has contact lenses, remove them. Flush eyes wide open from the inner corner of the eye towards the outside with plenty of clean lukewarm water, especially the area under the eyelids. Rinse for at least 15 minutes, seek medical attention.

If swallowed

In the case of an aerosol product, ingestion is very unlikely. Do not induce vomiting, rinse mouth with water. Seek medical attention immediately and present this safety data sheet. Danger of vomiting!

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhalation of the aerosol can cause headaches, fatigue, drowsiness, malaise, even narcotic states, exceptionally unconsciousness. Inhalation into the lungs, swelling of the lungs. Ingestion of the liquid fraction into the respiratory system during ingestion or aspiration of vomit during subsequent vomiting may cause bronchopneumonia or pulmonary edema.

If on skin

The mixture shows skin sensitization, can cause an allergic reaction (rash, dermatitis, eczematous manifestations). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. Danger of frostbite in contact with liquid gas.

If in eyes

Direct contact with the eyes causes serious eye irritation (watering, burning, itching, redness and conjunctivitis).

If swallowed

Ingestion of the liquid phase may cause abdominal pain and nausea. Ingestion of the liquid fraction into the respiratory system during ingestion or aspiration of vomit during subsequent vomiting may cause bronchopneumonia or pulmonary edema.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is not required during normal use of the mixture. Required only if symptoms reach a certain level, as indicated in paragraphs 4.1 and 4.2; is symptomatic.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Multipurpose powders, CO2, foam, water mist, sand.

Unsuitable extinguishing media

Full stream of water. Crushed water can be used to cool the containers near the fire.

5.2. Special hazards arising from the substance or mixture

Extremely flammable mixture. Incomplete combustion or thermal decomposition can produce toxic gases (COx, hydrocarbons, thick smoke, etc.). Do not inhale decomposition products. Vapors are heavier than air, accumulate in lower positions, can spread over long distances. When mixed with air, they can form an explosive mixture. Danger of re-ignition. There is a risk of the pressure vessel exploding at higher temperatures.

5.3. Advice for firefighters

Isolation breathing apparatus and non-flammable intervention suit. Use non-sparking tools. Cool containers exposed to fire with water spray or foam. Burning residues and post-intervention water should be disposed of as hazardous waste

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent unauthorized entry, ensure free escape. Ensure adequate ventilation, do not breathe aerosol. Eliminate possible sources of ignition, do not smoke, do not handle open flame, do not expose to direct sunlight. Use non-sparking tools, avoid electrostatic charge. Avoid contact with skin and eyes - use personal protective equipment.

6.2. Environmental precautions

Provide a spill area, prevent leakage into drains, soil, surface and ground water. In case of a large liquid leak, monitor the NPK concentrations resp. TLV and inform the relevant public authorities and the flow or sewerage manager.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version 15

6.3. Methods and material for containment and cleaning up

Stop the leak. In case of large leakage of liquid fraction, drain the mixture. The aerosol evaporates, ensure adequate ventilation. In case of a minor leakage of the liquid fraction, cover with a non-flammable sorbent (sand, diatomaceous earth, soil, universal sorbent, etc.), store the used sorbent in a closable waste container, mark it and dispose of it as hazardous waste. Wash contaminated area with water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation of the work area. Avoid contact with open flames and other sources of ignition. Protect against direct sunlight. Use non-sparking tools. Take precautionary measures against static discharge. Avoid the formation of gases and vapors in flammable or explosive concentrations and concentrations exceeding the maximum permissible concentrations (NPK-P) for the working atmosphere. Protect eyes and skin, do not breathe aerosol or fumes, use personal protective equipment according to section 8. Observe valid legal regulations on safety and health protection. Follow the principles of hygiene when working with chemicals, do not eat, drink or smoke while working. Wash hands with warm soap and water before breaks, meals and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store in original containers at temperatures up to 50 $^{\circ}$ C in dry, well-ventilated areas. Store away from heat, protect from direct sunlight and external weather conditions. Store away from food, drink and animal feeding stuffs. Store separately as flammable. No smoking. Observe the general regulations for storage of pressure vessels. Follow the instructions on the label.

Content	Packaging type	Material of package
400 ml	aerosol can	FE
Storage class	2B - Aerosols	

7.3. Specific end use(s)

Storage temperature

It is not.

max. 50 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

Czech Republic

Government Regulation 330/2023 Coll.

Substance name (component)	Туре	Value	Note
	PEL	1000 mg/m³	
heptane (CAS: 142-82-5)	PEL	240 ppm	irritating to mucous membranes
	NPK-P	2000 mg/m ³	(eyes, respiratory system) and skin
	NPK-P	480 ppm	
methylcyclohexane (CAS: 108-87-2)	PEL	1500 mg/m³	irritating to mucous membranes
methylcyclonexalle (CAS: 100-67-2)	PEL	368 ppm	(eyes, respiratory system) and skin



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

Czech Republic

Government Regulation 330/2023 Coll.

Substance name (component)	Туре	Value	Note	
methyleyelehovene (CAS) 109 97 3)	NPK-P	2000 mg/m ³	irritating to mucous membranes	
methylcyclohexane (CAS: 108-87-2)	NPK-P	490 ppm	(eyes, respiratory system) and skin	
	PEL	241 mg/m ³		
n hutul acetate (CAC) 133 96 4)	PEL	50 ppm		
n-butyl acetate (CAS: 123-86-4)	NPK-P	723 mg/m ³		
	NPK-P	150 ppm		

European Union

Commission Directive (EU) 2019/1831

Substance name (component)	Туре	Value	Note
	OEL 8 hours	241 mg/m ³	
	OEL 8 hours	50 ppm	
n-butyl acetate (CAS: 123-86-4)	OEL 15 minutes	723 mg/m³	
	OEL 15 minutes	150 ppm	R

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value	Note
hantana (CAC, 142, 92, E)	OEL 8 hours	2085 mg/m ³	
heptane (CAS: 142-82-5)	OEL 8 hours	500 ppm	

8.2. Exposure controls

Ensure sufficient ventilation or extraction of the work area. In case of exceeding the NPK-P, use suitable respiratory protection. Avoid contact with skin and eyes, do not inhale aerosols, gases and vapors. Observe hygienic measures when working with chemicals. Do not eat, drink and smoke during work. Wash hands with lukewarm soap and water before breaks, meals and after work. Adapt personal protective equipment to the nature of the work.

Eye/face protection

Closed safety glasses.

Skin protection

Protective work clothes made of non-flammable material, antistatic treatment is suitable. Wash affected skin, remove contaminated clothing, wash before further use. Chemically resistant protective gloves (material e.g. nitrile rubber, PVA, fluororubber).

It is recommended to assume solvent resistance for 42 minutes. Taking into account the concentrations of the components, a longer period of resistance can be assumed in individual cases. When choosing, follow the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Test at a specific workplace before first use. Replace damaged gloves.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

Respiratory protection

It is not necessary under normal conditions. In case of increased risk of inhalation and insufficient ventilation use a mask with a filter against organic vapors and aerosols, type A. In the event of an accident or for long-term exposure, use a self-contained breathing apparatus.

Thermal hazard

Exposure to elevated temperatures may result in tearing of the aerosol container when overheating.

Environmental exposure controls

It is not necessary if handling conditions are observed. Observe normal environmental precautions, do not allow to enter drains, soil or water sources.

More information

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

1.8 %

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour colourless
Odour characteristic

Melting point/freezing point 60 °C
Boiling point or initial boiling point and boiling range 90-92 °C

Flammability Flammable Class I.

Lower and upper explosion limit bottom

upper 9 %
Flash point data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
pH data not available

Kinematic viscosity

data not available

Solubility in water insoluble

Partition coefficient n-octanol/water (log value)

Vapour pressure

Density and/or relative density

Relative vapour density

Particle characteristics

data not available
data not available
data not available
data not available

9.2. Other information

VOC content:100 %

Solvent vapors can form an explosive mixture when mixed with air.

Soluble in common organic solvents.

Density and/or relative density (at 20 °C): Liquid fraction 780 kg/m3

Organic solvent content: < 85%

Oxidizing properties: The mixture is not classified as oxidizing

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is flammable. In normal conditions, the mixture does not show dangerous reactions.

10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

10.3. Possibility of hazardous reactions

May react with strong acids, bases and oxidizing agents. There is a risk of the pressure vessel exploding when exposed to high temperatures. Propellant gases and solvent vapors can form an explosive mixture when mixed with air.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003

Revision date 21st November 2022 Version 15

10.4. Conditions to avoid

To temperatures above 50 °C, contact with open flames, possible sources of ignition and hot surfaces, sparks, direct sunlight, accumulation of static electricity. Formation of concentration within explosive limits. Vapors are heavier than air, accumulate in lower positions, can spread over long distances. They can form an explosive mixture when mixed with air. Risk of re-ignition. There is a risk of the pressure vessel exploding at higher temperatures.

10.5. Incompatible materials

Flammable materials, strong oxidizing agents, strong acids and bases.

10.6. Hazardous decomposition products

Under normal conditions, the mixture does not decompose. Imperfect combustion or thermal decomposition produces toxic combustion products: COx, heavy smoke, hydrocarbons, etc.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture meets the criteria for classification according to EC Regulation No. 1272/2008. The mixture is classified as dangerous in the sense of EC Regulation No. 1272/2008, as amended.

Acute toxicity

Based on available data the classification criteria are not met.

butane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC50	658 mg/l	4 hours	Rat	
heptane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	5000 mg/kg		Mouse	
Dermal	LD50	3000 mg/kg		Rabbit	
Inhalation	LC50	103 mg/l	4 hours	Rat	
isobutane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC50	658 mg/l	4 hours	Rat (Rattus norvegicus)	
n-butyl acetate					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	>8800 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC50	>21.1 mg/l	4 hours	Rat (Rattus	

Dermal	LD50	>5000 mg/kg		Rabbit	
propane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC50	658 mg/l	4 hours	Rat (Rattus norvegicus)	

Skin corrosion/irritation

The mixture is classified as skin irritant, category 2. Irritating to skin.

norvegicus)



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

The mixture is classified as toxic to specific target organs after single exposure, category 3. Inhalation of vapors or aerosol can cause headache, drowsiness or dizziness, malaise, even narcotic states.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

The mixture is placed on the market in aerosol packaging, the criteria for classification are not met.

11.2. Information on other hazards

It does not contain substances causing disruption of the endocrine system. Inhalation of the aerosol can cause headaches, fatigue, drowsiness, malaise and even narcotic conditions. Direct contact with the eyes causes serious eye irritation (watering, burning, itching, redness and conjunctivitis). The mixture shows skin sensitization, can cause an allergic reaction (rash, dermatitis, eczematous manifestations). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. Ingestion of the liquid phase may cause abdominal pain and nausea.

SECTION 12: Ecological information

12.1. Toxicity

The ecotoxic effects of the mixture itself were not assessed. The mixture is classified as dangerous for the environment. Prevent the liquid from leaking into sewers and underground or surface water.

Acute toxicity

NOVATIM					
Parameter	Value	Exposure time	Species	Environment	
LC50	10400 mg/l	96 hours	Fish		

heptane				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	4 mg/l	24 hours	Fish (Carassius auratus)	
LC50	4924 mg/l	48 hours	Fish (Gambusia affinis)	
LC50	220-270 mg/l	24 hours	Fish (Leuciscus idus)	
IC50	>10 mg/l	24 hours	Invertebrates (Daphnia magna)	
EC50	1.5 mg/l	8 hours	Algae	



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003

Revision date 21st November 2022 Version 15

methylcyclohexane					
Parameter	Value	Exposure time	Species	Environment	
LC50	5.8 mg/l	96 hours	Fish		
EC50	1.47 mg/l	48 hours	Invertebrates (Daphnia magna)		

n-butyl acetate	utyl acetate					
Parameter	Value	Exposure time	Species	Environment		
	71-141 mg/l	48 hours	Fish (Leuciscus idus)			
LC50	18 g/l	96 hours	Fish (Pimephales promelas)			
EC50	72.8 mg/l	24 hours	Invertebrates (Daphnia magna)			

12.2. Persistence and degradability

Not determined, some components of the mixture are easily degradable.

12.3. Bioaccumulative potential

Not determined, bioaccumulation is unlikely.

12.4. Mobility in soil

The mixture is not very mobile.

12.5. Results of PBT and vPvB assessment

The mixture does not contain substances from the PBT and vPvB groups according to Annex XIII of the REACH Regulation, as amended.

12.6. Endocrine disrupting properties

Substances with these properties in accordance with the criteria set out in Commission Regulation (EU) 2017/2100 or (EU) 2018/605 are not included.

12.7. Other adverse effects

The mixture is harmful to the environment, even a small amount can contaminate drinking water sources. It must not get into the soil, underground or surface water or sewage system. Observe the usual environmental protection measures.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of as hazardous waste. Dispose of at an authorized person or to a hazardous waste collection yard. Dispose of mixture and packaging residues in accordance with local waste disposal regulations. Dispose of contaminated packaging as hazardous waste.

Waste management legislation

Act No. 477/2001 Coll., On Packaging, as amended. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

Waste type code

14 06 03* other solvents and solvent mixtures

Packaging waste type code

15 01 11* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

14.7. Maritime transport in bulk according to IMO instruments

Can not be used.

Additional information

Hazard identification No.

UN number Classification code

Safety signs



5F

2.1+hazardous for the environment



Road transport - ADR

Special provisions Limited quantities

Excepted quantities

Packaging

Packing instructions
Special packing provisions
Mixed packing provisions

Transport category
Tunnel restriction code

Special provision for

packages

loading, unloading and handling

operation

Railway transport - RID

Special provisions

Excepted quantities

Packaging

Packing instructions
Special packing provisions

Mixed packing provisions Transport category

Special provision for

packages

loading, unloading and handling

190, 327, 344, 625

1 L E0

P207, LP200

PP87, RR6, L2 MP9

2 (D)

V14

CV9, CV12

190, 327, 344, 625

P207, LP200 PP87, RR6, L2

MP9 0

W14

CW9, CW12



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version

15

Air transport - ICAO/IATA

Packaging instructions for limited amount Y203
Packaging instructions passenger 203
Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U MFAG 620

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Commission Delegated Regulation (EU) 2021/849 of 11 March 2021 amending, for the purposes of adapting to technical and scientific progress, Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of substances and mixtures. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals.

15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

More information

This information only indicates the basic regulations listed in this Safety Data Sheet. Please note the possible existence of additional regulations supplementing these Regulations. We refer to all applicable national, international and local regulations and regulations.

SECTION 16: Other information

A list of standard	risk phrases used in the safety data sheet
H220	Extremely flammable das

H220	Extremely flammable gas.	
	,	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Guidelines for safe handling used in the safety data sheet		
DD10		

duidennes for safe nanding used in the safety data sheet		
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	P261	Avoid breathing mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection.
	P302+P352	IF ON SKIN: Wash with plenty of water and soap.
	P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C.

Dispose of contents/container to in accordance with local regulations.

P501



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NOVATIM

Creation date 22nd October 2003 Revision date 21st November 2022

Version 15

Other important information about human health protection

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the supplier can not control the specific conditions of use of the mixture, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

IC50Concentration causing 50% blockadeICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientNPKMaximum admissible concentrationOELOccupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

PEL Permissible Exposure Limit

ppm Parts per million

Press. Gas (Comp.)

Gas under pressure: compressed gas

Press. Gas (Diss.)

Gas under pressure: dissolved gas

Press. Gas (Liq.)

Gas under pressure: liquefied gas

Press. Gas (Ref. Liq.) Gas under pressure: refrigerated liquefied gas

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model Regulations

C. L. L. C. L.

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aerosol Aerosol

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

NOVATIM

Creation date 22nd October 2003
Revision date 21st November 2022 Version 15

Asp. Tox.

Flam. Gas

Flam. Liq.

Press. Gas

Skin Irrit.

Aspiration hazard

Flammable gas

Flammable liquid

Gases under pressure

Skin irritation

STOT SE Specific target organ toxicity - single exposure

Training guidelines

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended. Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

Adaptation of BL updated Annex II of the REACH Regulation as amended by Commission Regulation (EU) 2020/878.

Statement



The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.