

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier WEGALUBE
Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against
Mixture's intended use

Multifunctional lubricant

The use descriptors

IS Use at industrial sites
PW Widespread use by professional workers

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name	NOVATO
Address	Uralská 770/6, Praha, 160 00 Czech Republic
Identification number (CRN)	62910370
VAT Reg No	CZ62910370
Phone	+420 233 339 688
E-mail	petr.johanides@novato.cz
Web address	www.novato.cz

Competent person responsible for the safety data sheet

Name	ABITEC
E-mail	info@abitec.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222
Asp. Tox. 1, H304
Skin Irrit. 2, H315
Skin Sens. 1, H317
Eye Irrit. 2, H319
Aquatic Chronic 3, H412

Most serious adverse physico-chemical effects

The mixture is extremely flammable. The container is under pressure: do not expose to sunlight and temperatures above 50 °C. Do not even puncture the empty container or throw it into the fire. Do not spray on open flames or hot objects. Keep away from sources of ignition - No smoking. Keep out of reach of children. Incomplete combustion can release dangerous gases. Solvent vapors are heavier than air, they accumulate in lower positions. They can form an explosive mixture when mixed with air.

Most serious adverse effects on human health and the environment

Inhaling the aerosol can cause headaches, fatigue. Do not inhale the aerosol. It irritates the skin (redness, itching, burning and even dermatitis). Direct eye contact causes eye irritation (watering, burning, itching, redness and conjunctivitis). The mixture may, depending on individual sensitivity, cause an allergic skin reaction (contact dermatitis - redness, swelling, pimples, blisters). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. The mixture is classified as harmful to the environment. Follow the instructions for use to avoid risks to people and the environment. The liquid is lighter than water and can cover the surface of the water. Avoid release to soil, ground or surface water or sewers. The full wording of the classification and H phrases is given in Sect. 16 of this safety data sheet.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container to in accordance with local regulations.

2.3. Other hazards

Neither the mixture nor its components meet the criteria for persistent, bioaccumulative and toxic or highly persistent and highly bioaccumulative substances in accordance with Annex XIII, nor have they been included in the list drawn up in accordance with Article 59, paragraph 1, due to the content of endocrine disruptors , nor has it been determined as a substance with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-453-00-1 CAS: 64741-76-0 EC: 265-077-7	Distillates (petroleum), heavy hydrocracked (DMSO value < 3%) [A complex combination of hydrocarbons from the distillation of products from hydrocracking. It is mainly composed of saturated hydrocarbons with carbon no atoms in the range of C15 to C39 with a range of boiling points approximately 260°C to 600°C.]	15-30	Asp. Tox. 1, H304 Specific concentration limit: Asp. Tox. 1, H304: C ≥ 10 %	

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68037-01-4 EC: 500-183-1	dec-1-ene, homopolymer, hydrogenated	10-20	Asp. Tox. 1, H304 Specific concentration limit: Asp. Tox. 1, H304: C ≥ 10 %	
Index: 649-328-00-1 CAS: 64742-49-0 EC: 265-151-9	Naphtha (petroleum), hydrotreated light	1-10	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411 Specific concentration limit: Aquatic Chronic 2, H411: C ≥ 25 % STOT SE 3, H336: C ≥ 20 % Skin Irrit. 2, H315: C ≥ 10 %	1, 2, 4
EC: 939-603-7 Registration number: 01-2119978241-36	Calcium salts of do-C10-C14 alkyl derivatives of benzenesulfonic acid	<1,5	Skin Sens. 1B, H317 Specific concentration limit: Skin Sens. 1B, H317: C ≥ 10 %	
CAS: 12001-85-3 EC: 234-409-2	Naphthenic acids, zinc salts	<1	Flam. Liq. 3, H226 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 5 %	
CAS: 90480-91-4 EC: 291-829-9	phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased	<1	Aquatic Chronic 4, H413	
CAS: 68937-96-2 EC: 273-103-3	Polysulphides, di-tert-butyl	<1	Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Specific concentration limit: Skin Sens. 1B, H317: C ≥ 1 %	
CAS: 4259-15-8 EC: 224-235-5	zinc bis[O,O-bis(2-ethylhexyl)] bis (dithiophosphate)	<1	Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: Eye Dam. 1, H318: C ≥ 50 %	
CAS: 68649-42-3 EC: 272-028-3	phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	<1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315: C ≥ 10 % Eye Dam. 1, H318: C ≥ 3 %	
CAS: 69011-36-5 EC: 500-241-6 Registration number: 01-2119976362-32	Isotridecanol, ethoxylated	<1	Acute Tox. 4, H302 Eye Dam. 1, H318 Specific concentration limit: Eye Dam. 1, H318: C ≥ 3 %	
EC: 931-384-6 Registration number: 01-2119493620-38	reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched	<1	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: Skin Sens. 1, H317: C ≥ 9.4 % Eye Dam. 1, H318: C ≥ 50 %	3

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 612-283-00-3 CAS: 112-90-3 EC: 204-015-5	(Z)-octadec-9-enylamine	1	Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Corr. 1B, H314 STOT SE 3, H335 STOT RE 2, H373 (gastrointestinal system, immune system, liver) Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) Specific concentration limit: Skin Corr. 1B, H314: C ≥ 5 % STOT SE 3, H335: C ≥ 20 % STOT RE 2, H373: C ≥ 10 %	
CAS: 85117-47-1 EC: 285-597-8 Registration number: 01-2119985162-32	Benzene, mono-C10-14-alkyl derivatives, fractionation bottoms, medium, sulfone, sodium salts	<1	Skin Sens. 1B, H317 Specific concentration limit: Skin Sens. 1B, H317: C ≥ 1 %	

Notes

- 1 Note P: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)-P260-P262-P301 + P310-P331 shall apply.
- 2 A substance for which exposure limits are set.
- 3 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.
- 4 Fulfilled Note P

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of health problems or in case of doubt, consult a physician and provide him with the information in this safety data sheet. In case of life-threatening conditions, perform resuscitation. Keep unconscious person in a stabilized position and do not give anything by mouth. Avoid cooling. Do not induce vomiting. In case of spontaneous vomiting, avoid inhalation of vomitus. If burns occur, cool the burn with cold water and cover with a clean cloth.

If inhaled

If inhaled, leave the area, rinse the mouth with water, inhale fresh air. If breathing is difficult, give first aid and seek medical advice.

If on skin

Wipe the product, wash thoroughly with lukewarm water, soap and treat with regenerating cream. If clothing is contaminated, remove clothing. Seek medical attention if irritation develops.

If in eyes

If the affected person has contact lenses, remove them. Flush eyes wide open from the inner corner of the eye towards the outside with plenty of clean lukewarm water, especially the area under the eyelids. Rinse for at least 15 minutes, seek medical attention.

If swallowed

In the case of an aerosol product, ingestion is very unlikely. Do not induce vomiting, rinse mouth with water. Seek medical attention immediately and present this safety data sheet. Danger of vomiting!

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhalation of the aerosol can cause headaches, fatigue, drowsiness, malaise, even narcotic states, exceptionally unconsciousness. Inhalation into the lungs, swelling of the lungs.

If on skin

The mixture shows skin sensitization, can cause an allergic reaction (rash, dermatitis, eczematous manifestations). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. Danger of frostbite in contact with liquid gas.

If in eyes

Irritating to the eyes (watering, burning, itching, redness and conjunctivitis).

If swallowed

Ingestion of the liquid phase may cause abdominal pain and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is not required during normal use of the mixture. Required only if symptoms reach a certain level, as indicated in paragraphs 4.1 and 4.2; is symptomatic.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Multipurpose powders, CO₂, foam, water mist, sand.

Unsuitable extinguishing media

Full stream of water. Crushed water can be used to cool the containers near the fire.

5.2. Special hazards arising from the substance or mixture

Extremely flammable mixture. Incomplete combustion or thermal decomposition can produce toxic gases (CO_x, hydrocarbons, thick smoke, etc.). Do not inhale decomposition products. Vapors are heavier than air, accumulate in lower positions, can spread over long distances. When mixed with air, they can form an explosive mixture. Danger of re-ignition. There is a risk of the pressure vessel exploding at higher temperatures.

5.3. Advice for firefighters

Self-contained breathing apparatus in confined spaces and an anti-chemical emergency suit. Use non-sparking tools. Cool closed containers with the mixture near the fire with water spray or cover with foam. Remove packaging from fire if it is possible to do so without risk. Combustion residues and water after intervention should be disposed of as hazardous waste.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent unauthorized entry, ensure free escape. Ensure adequate ventilation, do not breathe aerosol. Eliminate possible sources of ignition, do not smoke, do not handle open flame, do not expose to direct sunlight. Use non-sparking tools, avoid electrostatic charge. Avoid contact with skin and eyes - use personal protective equipment.

6.2. Environmental precautions

Provide a spill area, prevent leakage into drains, soil, surface and ground water. In case of a large liquid leak, monitor the NPK concentrations resp. TLV and inform the relevant public authorities and the flow or sewerage manager.

6.3. Methods and material for containment and cleaning up

Stop the leak. In case of large leakage of liquid fraction, drain the mixture. The aerosol evaporates, ensure adequate ventilation. In case of a minor leakage of the liquid fraction, cover with a non-flammable sorbent (sand, diatomaceous earth, soil, universal sorbent, etc.), store the used sorbent in a closable waste container, mark it and dispose of it as hazardous waste. Wash contaminated area with water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation of the work area. Avoid contact with open flames and other sources of ignition. Protect against direct sunlight. Use non-sparking tools. Take precautionary measures against static discharge. Avoid the formation of gases and vapors in flammable or explosive concentrations and concentrations exceeding the maximum permissible concentrations (NPK-P) for the working atmosphere. Protect eyes and skin, do not breathe aerosol or fumes, use personal protective equipment according to section 8. Observe valid legal regulations on safety and health protection. Follow the principles of hygiene when working with chemicals, do not eat, drink or smoke while working. Wash hands with warm soap and water before breaks, meals and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store in original containers at temperatures up to 40 ° C in dry, well-ventilated areas. Store away from heat, protect from direct sunlight and external weather conditions. Store away from food, drink and animal feeding stuffs. Store separately as flammable. No smoking. Observe the general regulations for storage of pressure vessels. Follow the instructions on the label.

Content	Packaging type	Material of package
400 ml	aerosol can	FE
Storage class	2B - Aerosols	
Storage temperature	max. 40 ° C	

7.3. Specific end use(s)

It is not.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

Czech Republic

Government Regulation 330/2023 Coll.

Substance name (component)	Type	Value
Gasolines (technical mixture of hydrocarbons) (CAS: 64742-49-0)	PEL	400 mg/m ³
	NPK-P	1000 mg/m ³

DNEL

Benzene, mono-C10-14-alkyl derivatives, fractionation bottoms, medium, sulfone, sodium salts					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.66 mg/m ³	Chronic effects systemic		
Workers	Dermal	3.33 mg/kg/24h	Chronic effects systemic		

Calcium salts of do-C10-C14 alkyl derivatives of benzenesulfonic acid					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	35.26 mg/m ³	Chronic effects systemic		
Workers	Dermal	25 mg/kg/24h	Chronic effects systemic		

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Distillates (petroleum), heavy hydrocracked (DMSO value < 3%)
[A complex combination of hydrocarbons from the distillation of products from hydrocracking. It is mainly composed of saturated hydrocarbons with carbon no atoms in the range of C15 to C39 with a range of boiling points approximately 260°C to 600°C.]

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	1 mg/kg/24h	Chronic effects systemic		
Workers	Inhalation	2.7 mg/m ³	Chronic effects systemic		

Isotridecanol, ethoxylated

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	294 mg/m ³	Chronic effects systemic		
Workers	Dermal	2080 mg/kg/24h	Chronic effects systemic		

reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	12.5 mg/kg	Chronic effects local		
Workers	Inhalation	8.56 mg/m ³	Chronic effects local		

PNEC

Benzene, mono-C10-14-alkyl derivatives, fractionation bottoms, medium, sulfone, sodium salts

Route of exposure	Value	Value determination	Source
Microorganisms in sewage treatment	100 mg/l		
Freshwater environment	1 mg/l		
Marine water	1 mg/l		
Soil (agricultural)	0.1 mg/kg		
Freshwater sediment	723.5 mg/kg		
Sea sediments	723.5 mg/kg		

Calcium salts of do-C10-C14 alkyl derivatives of benzenesulfonic acid

Route of exposure	Value	Value determination	Source
Microorganisms in sewage treatment	1000 mg/l		
Freshwater environment	0.1 mg/l		
Marine water	0.1 mg/l		
Soil (agricultural)	36739.74 mg/kg		
Freshwater sediment	45211 mg/kg		
Sea sediments	45211 mg/kg		

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Isotridecanol, ethoxylated			
Route of exposure	Value	Value determination	Source
Microorganisms in sewage treatment	1.4 mg/l		
Freshwater environment	0.074 mg/l		
Marine water	0.007 mg/l		
Soil (agricultural)	0.1 mg/kg		
Freshwater sediment	0.604 mg/kg		
Sea sediments	0.06 mg/kg		

reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 branched			
Route of exposure	Value	Value determination	Source
Freshwater environment	0.001 mg/l		
Marine water	0.12 µg/l		
Freshwater sediment	14.4 mg/kg		
Sea sediments	1.44 mg/kg		
Soil (agricultural)	2.94 mg/kg		
Microorganisms in sewage treatment	24.33 mg/l		

8.2. Exposure controls

Ensure sufficient ventilation or extraction of the work area. In case of exceeding the NPK-P, use suitable respiratory protection. Avoid contact with skin and eyes, do not inhale aerosols, gases and vapors. Observe hygienic measures when working with chemicals. Do not eat, drink and smoke during work. Wash hands with lukewarm soap and water before breaks, meals and after work. Adapt personal protective equipment to the nature of the work.

Eye/face protection

Closed safety glasses.

Skin protection

Protective work clothes made of non-flammable material, antistatic treatment is suitable. Wash affected skin, remove contaminated clothing, wash before further use. Chemically resistant protective gloves (material e.g. nitrile rubber, PVA, fluororubber).

It is recommended to assume solvent resistance for 42 minutes. Taking into account the concentrations of the components, a longer period of resistance can be assumed in individual cases. When choosing, follow the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Test at a specific workplace before first use. Replace damaged gloves.

Respiratory protection

It is not necessary under normal conditions. In case of increased risk of inhalation and insufficient ventilation use a mask with a filter against organic vapors and aerosols, type A. In the event of an accident or for long-term exposure, use a self-contained breathing apparatus.

Thermal hazard

Exposure to elevated temperatures may result in tearing of the aerosol container when overheating.

Environmental exposure controls

It is not necessary if handling conditions are observed. Observe normal environmental precautions, do not allow to enter drains, soil or water sources.

More information

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
----------------	--------

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Colour	Light brown
Odour	characteristic
Melting point/freezing point	<-12 °C
Boiling point or initial boiling point and boiling range	data not available
Flammability	Flammable Class I.
Lower and upper explosion limit	
bottom	1.5 %
upper	9 %
Flash point	<0 °C
Auto-ignition temperature	>230 °C
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	4 hPa at 20 °C
Density and/or relative density	
Density	0.7-0.8 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

VOC content: <10
Solvent vapors can form an explosive mixture when mixed with air.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is flammable. In normal conditions, the mixture does not show dangerous reactions.

10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

10.3. Possibility of hazardous reactions

May react with strong acids, bases and oxidizing agents. There is a risk of the pressure vessel exploding when exposed to high temperatures. Propellant gases and solvent vapors can form an explosive mixture when mixed with air.

10.4. Conditions to avoid

To temperatures above 50 °C, contact with open flames, possible sources of ignition and hot surfaces, sparks, direct sunlight, accumulation of static electricity. Formation of concentration within explosive limits. Vapors are heavier than air, accumulate in lower positions, can spread over long distances. They can form an explosive mixture when mixed with air. Risk of re-ignition. There is a risk of the pressure vessel exploding at higher temperatures.

10.5. Incompatible materials

Flammable materials, strong oxidizing agents, strong acids and bases.

10.6. Hazardous decomposition products

Under normal conditions, the mixture does not decompose. Imperfect combustion or thermal decomposition produces toxic combustion products: COx, heavy smoke, hydrocarbons, etc.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture meets the criteria for classification according to EC Regulation No. 1272/2008. The mixture is classified as dangerous in the sense of EC Regulation No. 1272/2008, as amended.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Acute toxicity

The mixture is not classified as acutely toxic by any route of exposure. Contains acutely toxic component in an amount below the specified concentration limit.

dec-1-ene, homopolymer, hydrogenated

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat	F/M
Inhalation	LC ₅₀	>5.2 mg/l	2 hours	Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	

Distillates (petroleum), heavy hydrocracked (DMSO value < 3%)
[A complex combination of hydrocarbons from the distillation of products from hydrocracking. It is mainly composed of saturated hydrocarbons with carbon no atoms in the range of C15 to C39 with a range of boiling points approximately 260°C to 600°C.]

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat	
Dermal	LD ₅₀	>5000 mg/kg		Rabbit	
Inhalation	LC ₅₀	5.53 mg/l	4 hours	Rat	

Isotridecanol, ethoxylated

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>2000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	7.07 ml/kg		Rabbit	
Inhalation	LC ₅₀	>1.6 mg/l	4 hours	Rat (Rattus norvegicus)	

Naphtha (petroleum), hydrotreated light

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5840 mg/kg		Rat	
Dermal	LD ₅₀	>2920 mg/kg		Rabbit	
Inhalation	LC ₅₀	25.2 mg/l	4 hours	Rat	
Inhalation	LC ₅₀	193 mg/m ³	4 hours	Rat (Rattus norvegicus)	

Naphthenic acids, zinc salts

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	4920 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	>5000 ml/kg		Rabbit	

Skin corrosion/irritation

The mixture is classified as irritating to the skin, category 2. Frequent or long-term contact with the skin causes drying or cracking of the skin up to dermatitis.

Serious eye damage/irritation

The mixture is classified as eye irritant, category 2.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Respiratory or skin sensitisation

The mixture is classified as a skin sensitizer, category 1. It may cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on the available data, the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

If the liquid fraction enters the lungs, it can cause lung damage. Due to the aerosol packaging, ingestion is not expected, the labeling criteria are not met.

11.2. Information on other hazards

It does not contain substances causing disruption of the endocrine system. Inhaling the aerosol can cause headaches, fatigue. Do not inhale the aerosol. It irritates the skin (redness, itching, burning and even dermatitis). Direct eye contact causes eye irritation (watering, burning, itching, redness and conjunctivitis). The mixture may, depending on individual sensitivity, cause an allergic skin reaction (contact dermatitis – redness, swelling, pimples, blisters). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. Ingestion of the liquid phase may cause abdominal pain and nausea.

SECTION 12: Ecological information

12.1. Toxicity

The ecotoxic effects of the mixture itself were not assessed. Prevent the liquid from leaking into sewers and underground or surface water.

Acute toxicity

Naphtha (petroleum), hydrotreated light				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	93-117 mg/l	96 hours	Fish	
EC ₅₀	4.3 mg/l	96 hours	Invertebrates (Daphnia magna)	
LC ₅₀	2200 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	30-100 mg/l	72 hours	Algae	

phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	1-5 mg/l	96 hours	Fish (Pimephales promelas)	

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date 02nd October 2015
 Revision date 20th December 2022 Version 3

Polysulphides, di-tert-butyl				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	>0.088 mg/l	96 hours	Fish (Danio rerio)	
EC ₅₀	>0.27 mg/l	24 hours	Invertebrates (Daphnia magna)	
EC ₅₀	2.45 mg/l	72 hours	Algae	

12.2. Persistence and degradability

Polysulfides are difficult to degrade.

12.3. Bioaccumulative potential

Not determined, bioaccumulation is unlikely.

12.4. Mobility in soil

It endangers water even with a small penetration into the environment.

Log Koc (polysulphides): 8.5

12.5. Results of PBT and vPvB assessment

The mixture does not contain substances from the PBT and vPvB groups according to Annex XIII of the REACH Regulation, as amended.

12.6. Endocrine disrupting properties

Substances with these properties in accordance with the criteria set out in Commission Regulation (EU) 2017/2100 or (EU) 2018/605 are not included.

12.7. Other adverse effects

The mixture is harmful to the environment, even a small amount can contaminate drinking water sources. It must not get into the soil, underground or surface water or sewage system. Observe the usual environmental protection measures.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of as hazardous waste. Dispose of at an authorized person or to a hazardous waste collection yard. Dispose of mixture and packaging residues in accordance with local waste disposal regulations. Dispose of contaminated packaging as hazardous waste.

Waste management legislation

Act No. 477/2001 Coll., On Packaging, as amended. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

Waste type code

14 06 03* other solvents and solvent mixtures

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Packaging waste type code

15 01 11* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

14.5. Environmental hazards

No.


14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

14.7. Maritime transport in bulk according to IMO instruments

Can not be used.

Additional information

Hazard identification No.	
UN number	1950
Classification code	5F
Safety signs	2.1



Road transport - ADR

Special provisions	190, 327, 344, 625
Limited quantities	1 L
Excepted quantities	E0

Packaging

Packing instructions	P207, LP200
Special packing provisions	PP87, RR6, L2
Mixed packing provisions	MP9
Transport category	2
Tunnel restriction code	(D)

Special provision for

packages	V14
loading, unloading and handling operation	CV9, CV12 S2

Railway transport - RID

Special provisions	190, 327, 344, 625
Excepted quantities	E0

Packaging

Packing instructions	P207, LP200
Special packing provisions	PP87, RR6, L2
Mixed packing provisions	MP9
Transport category	0

Special provision for

packages	W14
loading, unloading and handling	CW9, CW12

Air transport - ICAO/IATA

Packaging instructions for limited amount	Y203
Packaging instructions passenger	203
Cargo packaging instructions	203

Marine transport - IMDG

EmS (emergency plan)	F-D, S-U
MFAG	620

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Commission Delegated Regulation (EU) 2021/849 of 11 March 2021 amending, for the purposes of adapting to technical and scientific progress, Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of substances and mixtures. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals.

15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

More information

This information only indicates the basic regulations listed in this Safety Data Sheet. Please note the possible existence of additional regulations supplementing these Regulations. We refer to all applicable national, international and local regulations and regulations.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to the gastro-intestinal system, the immune system, the liver through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

P501 Dispose of contents/container to in accordance with local regulations.

Other important information about human health protection

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the supplier can not control the specific conditions of use of the mixture, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NPK	Maximum admissible concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aerosol	Aerosol
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquid



SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

WEGALUBE

Creation date	02nd October 2015	Version	3
Revision date	20th December 2022		

Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended. Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

Adaptation of BL updated Annex II of the REACH Regulation as amended by Commission Regulation (EU) 2020/878.

Statement

The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.