

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier MEGA OLEJ
Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against
Mixture's intended use

Special lubricant

The use descriptors

IS Use at industrial sites

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name	NOVATO
Address	Uralská 770/6, Praha, 160 00 Czech Republic
Identification number (CRN)	62910370
VAT Reg No	CZ62910370
Phone	+420 233 339 688
E-mail	petr.johanides@novato.cz
Web address	www.novato.cz

Competent person responsible for the safety data sheet

Name	ABITEC
E-mail	info@abitec.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222

Eye Dam. 1, H318

Most serious adverse physico-chemical effects

The mixture is extremely flammable. Container under pressure: Do not expose to sunlight and temperatures above 50 ° C. Do not pierce or empty the empty container. Do not spray into naked flames or hot items. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Incomplete combustion may generate hazardous gases.

Most serious adverse effects on human health and the environment

The mixture irritates the eyes (tearing, burning, itching until conjunctivitis) and skin (redness, itching, burning). Frequent or prolonged contact with the skin causes the skin to dry or crack to dermatitis. Follow the instructions in the operating instructions. The mixture is not classified as harmful to the environment. Follow the instructions for use to avoid risks to humans and the environment. The liquid is lighter than water and can cover the water level. Avoid leakage into the soil, underground or surface water or sewers. The full wording of the classification and H phrases is given in section 16 of this Safety Data Sheet.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H318	Causes serious eye damage.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a ophthalmologist.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Neither the mixture nor its components meet the criteria for persistent, bioaccumulative and toxic or highly persistent and highly bioaccumulative substances in accordance with Annex XIII, nor have they been included in the list drawn up in accordance with Article 59, paragraph 1, due to the content of endocrine disruptors , nor has it been determined as a substance with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane	25-50	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	5-10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68649-29-6 EC: 614-696-4	Phosphate ester of polyoxyalkylated fatty alcohol (Oxiran, 2-methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates)	1-5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Specific concentration limit: Eye Dam. 1, H318: C ≥ 3 % Eye Irrit. 2, H319: 1 % ≤ C < 3 % Skin Irrit. 2, H315: C ≥ 10 %	
CAS: 1174522-09-8 EC: 918-481-9 Registration number: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	1-5	Asp. Tox. 1, H304 EUH066 Specific concentration limit: Asp. Tox. 1, H304: C ≥ 10 %	
CAS: 9003-13-8 EC: 500-003-1 Registration number: 01-2119492302-43	Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)	1-5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Specific concentration limit: Skin Irrit. 2, H315: C ≥ 10 % Eye Irrit. 2, H319: C ≥ 10 %	
Index: 601-004-00-0 CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27	isobutane	≤2,5	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If you feel any health problems or if in doubt, seek medical advice and provide information from this Safety Data Sheet. In the case of life-threatening conditions, resuscitate. Keep the unconscious person in a stabilized position and do not give anything by mouth. Avoid cool. Do not induce vomiting. For spontaneous vomiting, avoid inhalation of vomit.

If inhaled

If inhaled, stop exposure, flush the oral cavity with water, breathe fresh air. If respiratory tract irritation develops, seek medical attention. If necessary (breathing or irregular breathing), perform artificial respiration.

If on skin

Wash all affected parts with water with soap, treat with regeneration cream. In case of garment contamination, remove the garment. If symptoms of irritation develop, seek medical attention.

If in eyes

If it has affected contact lenses, remove them if possible. Open wide eyes rinse out of the inner corner of the eye toward the outside of a large amount of clean, lukewarm water, especially the area under the lids. Rinse for at least 15 minutes and seek medical attention.

If swallowed

In the case of an aerosol product, ingestion is very unlikely. Do not induce vomiting, rinse your mouth with water. Immediately seek medical advice and present this Safety Data Sheet. Risk of inhalation of vomit.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

not available

If on skin

Irritating to the skin (redness, itching, burning). Frequent or prolonged contact with the skin causes the skin to dry or crack to dermatitis.

If in eyes

The mixture irritates the eyes (redness, tearing, burning, inflammation of conjunctivae).

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

In the normal use of the compound, immediate medical assistance is not required. It is required only if the symptoms of a certain degree are attained, as described in paragraphs 4.1 to 4.2; is symptomatic.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Multipurpose powders, CO₂, foam, water mist, sand.

Unsuitable extinguishing media

Full stream of water. Crushed water can be used to cool the containers near the fire.

5.2. Special hazards arising from the substance or mixture

Extremely flammable mixture. Incomplete combustion may result in hazardous gases (CO_x, NO_x, hydrocarbons, etc.). Do not breathe fumes. At elevated temperatures, the container may be overpressured and burst. Vapors are heavier than air, accumulate in lower positions. When mixed with air, an explosive mixture may form. There is a risk of re-ignition.

5.3. Advice for firefighters

Isolation breathing apparatus and non-flammable intervention suit. Use non-sparking tools. Cover the product near the fire with spray water or cover with foam. Fire residues and water after treatment should be disposed of as hazardous waste.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent entry of unauthorized persons, ensure leakage. Ensure adequate ventilation, avoid inhalation of aerosol. Remove possible sources of ignition, do not smoke, do not expose to direct sunlight. Use non-sparking tools, avoid electrostatic charge. Avoid contact with skin and eyes - use personal protective equipment. Risk of slipping on spray.

6.2. Environmental precautions

Ensure escape area, do not allow to enter into sewers, soil, surface and ground water. In the event of a large leak, monitor NPK concentrations or concentrations. TLV and inform the appropriate governmental authorities and the flow or sewerage manager.

6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation. Avoid leakage of liquid, do not flush with water, cover with non-combustible sorbent (sand, diatomaceous earth, earth, etc.), store the used sorbent in a sealing waste container and dispose of as hazardous waste. Wash the contaminated area.

6.4. Reference to other sections

Recommended personal protective equipment according to section 8. Dispose of unused product according to section 13.

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation of the work area. Avoid generation of gases and vapors in flammable or explosive concentrations and concentrations exceeding the maximum allowable concentrations (NPK-P) for working atmosphere. Avoid contact with open fire and other sources of ignition. Protect from direct sunlight. Use non-sparking tools. Take precautionary measures against static discharges. Protect eyes and skin, do not breathe aerosol, use personal protective equipment according to section 8. Observe the applicable health and safety legislation. Observe the principles of hygiene with chemicals, do not eat, drink, smoke. Wash hands with warm soapy water before breaks, eating and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store in original containers at temperatures up to 50 °C in dry, well-ventilated areas. Store away from sources of heat, protect from direct sunlight, do not smoke. Store away from food, drink and animal feed. Store separately as flammable. Observe general regulations on the storage of pressure containers. Follow the instructions on the label.

Content	Packaging type	Material of package
300 ml	Aerosol canister	FE

Storage temperature max.50 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Czech Republic	According to the supplier's safety data sheet	
Substance name (component)	Type	Value
butane (CAS: 106-97-8)	PEL	2400 (8 hod.) mg/m ³
	NPK-P	9600 (15 min.) mg/m ³
propane (CAS: 74-98-6)	PEL	1800 (8 hod.) mg/m ³
	NPK-P	7200 (15 min.) mg/m ³
isobutane (CAS: 75-28-5)	PEL	2400 (8 hod.) mg/m ³
	NPK-P	9600 (15 min.) mg/m ³

DNEL

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	2.9 mg/m ³	Chronic effects local		
Workers	Dermal	0.83 mg/kg/24h	Chronic effects local		

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

PNEC

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)			
Route of exposure	Value	Value determination	Source
Microorganisms in sewage treatment	100 mg/l		
Freshwater environment	0.333 mg/l		
Marine water	0.333 mg/l		
Freshwater sediment	5.02 mg/kg		

8.2. Exposure controls

Ensure adequate ventilation or extraction of the work area. If NPK-P is exceeded, use adequate respiratory protection. Avoid contact with skin and eyes, do not inhale aerosol. Observe hygiene measures for handling chemicals. Do not eat, drink or smoke while working. Wash hands with lukewarm water and soap before breaks, food, and after work. Adapt personal protective equipment to the nature of the work.

Eye/face protection

Closed safety glasses.

Skin protection

Protective workwear made of cotton or synthetic material resistant to high temperatures. Wash the affected skin, remove the stained clothing, wash before using it. Protective gloves (material eg: butyl / viton 0,6 mm, penetration time > 30 min.) - When selecting the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Before testing for the first time, test at a specific workplace. Replace damaged gloves.

Respiratory protection

If the limit values are exceeded, in the case of an increased risk of inhalation and inadequate ventilation, use a mask with an organic vapor / aerosol filter type A. In case of accident or prolonged exposure, use an insulating respirator.

Thermal hazard

Avoid heating the aerosol can and exposure to elevated temperatures.

Environmental exposure controls

Observe the usual environmental precautions. Avoid leakage into sewers, underground and surface water and soil.

More information

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellowish
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	161.5 °C
Flammability	Flammable Class I.
Lower and upper explosion limit	
bottom	0.5 %
upper	15 %
Flash point	<-80 °C (closed cup)
Auto-ignition temperature	225 °C
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	insoluble
Solubility organic solvents	common organic solvents

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	~2100 hPa at 20 °C
Density and/or relative density	
Density	0.86-0.92 g/cm ³
Relative density	890 kg / m ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

Appearance	spray
Content of organic solvents (VOC)	53.28%
Content of propellant gases: 44.21%	
Content of solid particles: 2.511%	
Explosive properties: Not explosive.	
Solvent vapors can form an explosive mixture when mixed with air.	
Oxidizing properties: The mixture is not classified as oxidizing.	

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is extremely flammable. When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

10.3. Possibility of hazardous reactions

No dangerous reactions known. When exposed to high temperatures, there is a risk of explosion of a pressure vessel. Solvent vapors may form explosive mixtures with air.

10.4. Conditions to avoid

Temperatures above 50 °C, contact with open fire, possible sources of ignition and hot surfaces, sparks, static electricity. Avoid formation of concentrations within the limits of explosivity.

10.5. Incompatible materials

Flammable materials, strong oxidizing agents, strong acids.

10.6. Hazardous decomposition products

In normal conditions, the mixture is not decomposed. Thermal decomposition at high temperatures may produce hazardous decomposition products (COx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture meets the criteria for classification according to EC Regulation No. 1272/2008. The mixture is classified as dangerous in the sense of EC Regulation No. 1272/2008, as amended.

Acute toxicity

The mixture is not classified as acutely toxic by any way of exposure.

butane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC ₅₀	658 mg/l	4 hours	Rat	

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	2000 mg/kg		Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

propane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC ₅₀	658 mg/l	4 hours	Rat	

Skin corrosion/irritation

The mixture is classified as irritating to skin, category 2. It irritates the skin. Prolonged or repeated contact with the product causes skin degreasing and drying.

Serious eye damage/irritation

Mixture is classified as eye irritant, category 1. Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

It does not contain substances causing disruption of the endocrine system. Contact with the eyes can cause severe irritation or even damage to the eyes (redness, burning, tearing, conjunctivitis and damage to the cornea). Frequent or long-term contact with the skin causes drying or cracking of the skin or even dermatitis. Inhalation of the aerosol may cause mild irritation of the respiratory tract.

SECTION 12: Ecological information

12.1. Toxicity

Observe the usual environmental precautions.

Acute toxicity

butane				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	27.98 mg/l	96 hours	Algae	
EC ₅₀	7.71 mg/l	96 hours	Algae	

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date 22nd October 2003
 Revision date 19th December 2022 Version 17

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	>1000 mg/l	48 hours	Fish	
EC ₅₀	>1000 mg/l	48 hours	Invertebrates	

isobutane

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	49.9 mg/l	96 hours	Fish	
EC ₅₀	19.37 mg/l	96 hours	Algae	

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	104 mg/l	96 hours	Fish	
EC ₅₀	>100 mg/l	48 hours	Invertebrates	

propane

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	27.98 mg/l	96 hours	Fish	
EC ₅₀	7.71 mg/l	96 hours	Algae	

Chronic toxicity

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	>1000 mg/l	24 hours	Fish	
EC ₅₀	>1000 mg/l	48 hours	Invertebrates	

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	358 mg/l	24 hours	Algae	
EC ₅₀	>1000 mg/l	10 minutes	Microorganisms	

12.2. Persistence and degradability

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy- is degradable (79%/ 28 days (O₂ consumption method), (95% / 28 days (DOC decline method).

12.3. Bioaccumulative potential

not available

butane

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Kow	1.09				20°C

isobutane

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Kow	1.09				20°C

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-(Synthetic glycol)

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
	1.18-4.37				28°C

propane

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Kow	1.09				20°C

12.4. Mobility in soil

Unspecified - probably low mobile.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Substances with these properties in accordance with the criteria set out in Commission Regulation (EU) 2017/2100 or (EU) 2018/605 are not included.

12.7. Other adverse effects

WGK = 1 (self-assessment): Weak water hazard. Do not get into the ground, underground or surface water or sewers. Observe the usual precautions to protect the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal of the mixture: Dispose of as hazardous waste, dispose of it to the authorized person or to the hazardous waste collection yard. Dispose of residues of the mixture and the packaging in accordance with local regulations on waste disposal. Suitable methods for disposal of contaminated packaging: Dispose of as hazardous waste according to local regulations.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended. Waste Act No. 541/2020 Coll. as amended. Act No. 477/2001 Coll., on packaging, as amended.

Waste type code

07 06 04* other organic solvents, washing liquids and mother liquors

Packaging waste type code

15 01 11* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

No.

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

14.7. Maritime transport in bulk according to IMO instruments

Can not be used.

Additional information


Always carry closed containers in upright position. Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



Road transport - ADR

Limited quantities 1 L

Transport category 2

Tunnel restriction code (D)

Railway transport - RID

Excepted quantities E0

Air transport - ICAO/IATA

Packaging instructions for limited amount Y203

Packaging instructions passenger 203

Cargo packaging instructions 363

Marine transport - IMDG

EmS (emergency plan) F-D, S-U

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Commission Delegated Regulation (EU) 2021/849 of 11 March 2021 amending, for the purposes of adapting to technical and scientific progress, Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of substances and mixtures. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals.

15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

More information

This information only indicates the basic regulations listed in this Safety Data Sheet. Please note the possible existence of additional regulations supplementing these Regulations. We refer to all applicable national, international and local regulations and regulations.

SECTION 16: Other information

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a ophthalmologist.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

Other important information about human health protection

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the supplier can not control the specific conditions of use of the mixture, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NPK	Maximum admissible concentration

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

MEGA OLEJ

Creation date	22nd October 2003	Version	17
Revision date	19th December 2022		

OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aerosol	Aerosol
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Flam. Gas	Flammable gas
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation

Training guidelines

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended.

Recommended restrictions of use

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

Adaptation of BL updated Annex II of the REACH Regulation as amended by Commission Regulation (EU) 2020/878.

More information

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Statement

The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.