

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier NO1
Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against
Mixture's intended use

Degreasing mixture

The use descriptors

IS Use at industrial sites

PW Widespread use by professional workers

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name	NOVATO
Address	Uralská 770/6, Praha, 160 00 Czech Republic
Identification number (CRN)	62910370
VAT Reg No	CZ62910370
Phone	+420 233 339 688
E-mail	petr.johanides@novato.cz
Web address	www.novato.cz

Competent person responsible for the safety data sheet

Name	ABITEC
E-mail	info@abitec.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Asp. Tox. 1, H304

Most serious adverse physico-chemical effects

Imperfect thermal decomposition can release dangerous decomposition products. Keep away from ignition sources and heat sources. No smoking.

Most serious adverse effects on human health and the environment

Inhalation of vapors may cause headaches. Do not breathe fumes. Infiltration of the respiratory tract with ingestion or aspiration of vomit with subsequent vomiting may cause bronchopneumonia or pulmonary edema. Frequent or prolonged skin contact may cause skin dryness or cracking to dermatitis. May cause mild eye irritation in susceptible individuals and in case of direct eye contact. Avoid contact with skin and eyes. Secure against confusion with beverages. The mixture shows signs of danger for the environment. Follow the instructions for use to avoid risks to humans and the environment. The liquid is lighter than water and can cover the water surface. Do not allow to enter soil, ground or surface water or drains. The full text of the classifications and H-statements is given in section 16 of this safety data sheet.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

2.2. Label elements Hazard pictogram



Signal word

Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.
 P302+P352 IF ON SKIN: Wash with plenty of water and soap.
 P331 Do NOT induce vomiting.
 P501 Dispose of contents/container to in accordance with local regulations.

2.3. Other hazards

The mixture or its components are not classified as PBT or vPvB nor are they listed on the candidate list for Annex XIV of the REACH Regulation as of the date of preparation of the SDS.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 918-481-9 Registration number: 01-2119457273-39-XXXX	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	45-55	Asp. Tox. 1, H304 EUH066	1
CAS: 90622-58-5 EC: 920-901-0 Registration number: 01-2119456810-40	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	45-55	Asp. Tox. 1, H304 EUH066	1

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

In all cases of doubt, or when feeling unwell, seek medical advice and show this safety data sheet to the physician. In case of life-threatening conditions, perform resuscitation. Place the unconscious person in a stable position and do not give anything by mouth. Avoid cooling down. Do not induce vomiting. Avoid inhalation of vomit in case of spontaneous vomiting.

If inhaled

When inhaling vapors, leave the contaminated area, rinse the oral cavity with water, breathe fresh air. If respiratory tract irritation occurs, seek medical attention. If necessary (respiratory arrest or irregular breathing), perform artificial respiration. If inhaled into the lungs, perform artificial respiration immediately and call a doctor immediately.

If on skin

Wipe off the mixture, wash thoroughly with lukewarm soapy water and treat with a regenerating cream. If clothing is contaminated, remove clothing. Seek medical attention if irritation develops.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

If in eyes

If the affected person has contact lenses, remove them. Forcibly open eyes, rinse immediately with plenty of clean, lukewarm water, especially under the eyelids. Rinse for at least 10 - 15 minutes, seek medical attention.

If swallowed

DO NOT INDUCE VOMITING, in case of spontaneous vomiting, avoid inhalation of vomit. Danger of inhaling vomit! Rinse mouth with water. Drink a glass of water (only if the person is conscious). Seek medical attention immediately and present this safety data sheet.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Ingress of fluid into the respiratory tract when swallowed or aspiration of vomit with subsequent vomiting may cause bronchopneumonia or pulmonary edema. Inhalation can lead to headaches and general weakness.

If on skin

Frequent or prolonged skin contact may cause dryness to dermatitis.

If in eyes

Direct contact with eyes may cause slight eye irritation (redness, itching).

If swallowed

Ingestion of fluid may cause gastrointestinal irritation, abdominal pain and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

In the case of the usual use of the mixture and following the instructions in the instructions for use, immediate medical assistance is not required. Special treatment is required if symptoms of a certain degree occur, according to the data in sections 4.1 and 4.2; is symptomatic.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Multipurpose powders, CO₂, foam, water mist, sand.

Unsuitable extinguishing media

Full stream of water. Crushed water can be used to cool the containers near the fire.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion or thermal decomposition can produce toxic gases (CO, CO₂, hydrocarbons, etc.). Do not breathe decomposition products. Vapors are heavier than air and may form explosive mixtures with air when sprayed or misted. Use non-sparking tools.

5.3. Advice for firefighters

Insulating breathing apparatus, chemical protective suit. Cover the product near the fire with spray water or cover with foam. Fire residues and water after treatment should be disposed of as hazardous waste.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent unauthorized entry, secure and insulate spill area. Ensure adequate ventilation, do not breathe fumes. Eliminate possible sources of ignition, do not smoke. Avoid contact with skin and eyes, avoid ingestion - use personal protective equipment.

6.2. Environmental precautions

Sprinkle the escaping steam with water. Provide a spill area, prevent leakage into drains, soil, surface and ground water. In the event of a large liquid leak, monitor NPK or TLV concentrations and inform the relevant state administration bodies and the flow or sewerage administrator.

6.3. Methods and material for containment and cleaning up

Stop leak. In the event of a large liquid leak, drain the mixture. Prevent liquid leakage, cover with a non-flammable sorbent (sand, diatomaceous earth, soil, etc.), store the used sorbent in a closable waste container, mark and dispose of as hazardous waste. Wash contaminated area.

6.4. Reference to other sections

Recommended personal protective equipment according to section 8. Dispose of unused product according to section 13.

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure sufficient ventilation of the work area. Avoid contact with open flames and other sources of ignition. Don't smoke. Use non-sparking power tools. Take precautions against electrostatic discharge. Protect eyes and skin, do not inhale vapors and sprayed mixture, use personal protective equipment according to section 8.

WHEN MOVING THE PRODUCT: All metal parts of the equipment must be grounded to prevent ignition of vapors from electrostatic charges. Make sure that the product does not splash when loading and that the product flows slowly, especially at the beginning of the operation.

ONLY WORK WITH COLD AND DEGASSED TANKS IN VENTILATED AREAS (TO AVOID EXPLOSION HAZARD).

Do not use compressed air when filling, emptying or handling.

Pay attention to the applicable safety and health regulations. Observe the principles of hygiene when working with chemicals, do not eat, drink or smoke while working. Wash your hands with warm soapy water before breaks, meals and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store in original packaging at a temperature of up to 50 °C. Store locked, cap up. Store in dry, well-ventilated places and away from heat sources, do not smoke. Store away from food, drink and feed. Store away from oxidizing agents and strong acids. Follow the directions on the label. The warehouse should be equipped with a sufficient capacity of retention tanks to prevent contamination of soil or water in the event of product leakage.

Content	Packaging type	Material of package
25 l	jerry can	HDPE
40 l	jerry can	HDPE
10 l	jerry can	FE
5 l	jerry can	HDPE

Storage temperature max. 50 °C

7.3. Specific end use(s)

It is not.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture does not contain any constituents of national exposure limits specified in Annex 2, Government Decree 361/2007 Coll., As amended or European Union for Work Environment.

Czech Republic

Government Regulation 330/2023 Coll.

Substance name (component)	Type	Value
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	PEL	400 mg/m ³
	NPK-P	1000 mg/m ³
Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics (CAS: 90622-58-5)	PEL	400 mg/m ³
	NPK-P	1000 mg/m ³

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

8.2. Exposure controls

Ensure adequate ventilation, or workspace extraction. In case of exceeding the limits, use suitable respiratory protection. Avoid contact with skin and eyes, do not breathe fumes. Observe hygienic measures when working with chemicals. Do not eat or drink while working and do not smoke. Wash hands with lukewarm soap and water before breaks, meals and after work. Adapt personal protective equipment to the nature of the work.

Eye/face protection

Closed safety glasses.

Skin protection

Protective work clothing. Wash affected skin, take off contaminated clothing, wash before reuse. Protective gloves material for long-term or repeated contact: nitrile rubber > 0.45 mm, penetration time: > 480 min. PVA, fluoridated rubber > 0.45 mm, penetration time: > 480 min. Splash protection: nitrile rubber, neoprene > 0.3 mm, penetration time: > 60 min. Observe the recommended break-in time for the glove material. When choosing, follow the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Test in a specific workplace before first use. Replace damaged gloves.

Respiratory protection

In the case of mist formation, in case of insufficient ventilation or during short-term exposure, use a respirator or a mask with a filter against organic vapors and aerosols, type A. When creating an aerosol, use a respirator with a filter for vapors and particles, type A/P2. In the event of an accident, use self-contained breathing apparatus.

Thermal hazard

Avoid generating vapors when heated.

Environmental exposure controls

Observe the usual environmental precautions. Avoid leakage into sewers, underground and surface water and soil.

More information

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	< -50 °C (Hydrocarbons C10-C13)
Boiling point or initial boiling point and boiling range	183-216 °C (Hydrocarbons C10-C13)
Flammability	The product is non-flammable.
Lower and upper explosion limit	
bottom	0.6 %
upper	7 %
Flash point	66-67 °C
Auto-ignition temperature	>230 °C
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	1.5 mm ² /s at 40 °C (Hydrocarbons C10-C13)
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	0.6 kPa at 20 °C
Density and/or relative density	
Density	0.78 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

VOC content: 100%
 Boiling point or initial boiling point and boiling range: 187-206°C (C11-C13 hydrocarbons)
 Kinematic viscosity (at 40 °C): 1.3 mm²/s (C11-C13 hydrocarbons)

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

SECTION 10: Stability and reactivity

10.1. Reactivity

In normal conditions, the mixture does not show dangerous reactions.

10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

10.3. Possibility of hazardous reactions

Contact with strong acids or oxidizing agents may cause a dangerous exothermic reaction. When exposed to high temperatures, there is a risk of vapor evolution and packaging rupture.

10.4. Conditions to avoid

Temperatures above 50 ° C, frost, contact with open flames, possible sources of ignition. Avoid formation of concentrations within the limits of explosion.

10.5. Incompatible materials

Flammable materials, strong oxidizing agents, strong acids and alkalis.

10.6. Hazardous decomposition products

Under normal conditions, the mixture is not decomposed. Incomplete combustion or thermal decomposition produces toxic products of combustion (COx, NOx, hydrocarbons, etc.).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture meets the criteria for classification according to EC Regulation No. 1272/2008. The mixture is classified as dangerous in the sense of EC Regulation No. 1272/2008, as amended.

Acute toxicity

Based on available data the classification criteria are not met.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat	
Inhalation	LC ₅₀	>5000 mg/m ³	4 hours	Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	

Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	>5000 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC ₅₀	>5000 mg/m ³	4 hours	Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met. Irritating to the skin. Long-term skin contact can cause dry skin and crack up to dermatitis.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

The mixture is classified as toxic by inhalation, category 1. It can cause death if swallowed and enters the respiratory tract. Ingestion of liquid into the respiratory system during ingestion or aspiration of vomit after vomiting may cause bronchopneumonia or pulmonary edema.

11.2. Information on other hazards

Ingress of fluid into the respiratory tract when swallowed or aspiration of vomit with subsequent vomiting may cause bronchopneumonia or pulmonary edema. Inhalation can lead to headaches and general weakness. In direct contact with eyes, may cause mild eye irritation (redness, itch). Frequent or prolonged skin contact may cause dryness to dermatitis. Ingestion of fluid may cause gastrointestinal irritation, abdominal pain and nausea.

SECTION 12: Ecological information

12.1. Toxicity

The ecotoxic effects of the mixture were not assessed. Avoid leakage of liquid into drains and underground or surface water.

Acute toxicity

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	18.4 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	>1000 mg/l	48 hours	Invertebrates (Daphnia magna)	
EC ₅₀	>1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEL	1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	18.4 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	>1000 mg/l	48 hours	Invertebrates (Daphnia magna)	
EC ₅₀	>1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics				
Parameter	Value	Exposure time	Species	Environment
NOEL	1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Chronic toxicity

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics				
Parameter	Value	Exposure time	Species	Environment
NOELR	0.1 mg/l	28 days	Fish (Oncorhynchus mykiss)	
NOELR	0.18 mg/l	21 days	Invertebrates (Daphnia magna)	

Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics				
Parameter	Value	Exposure time	Species	Environment
NOELR	0.32 mg/l	28 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability

Hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclic, < 2% aromatics 80% in 28 days (OECD 301 F) - easily biodegradable

Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics 31% 28 days (OECD 301 F) - not readily biodegradable

12.3. Bioaccumulative potential

Not determined, bioaccumulation is unlikely.

12.4. Mobility in soil

Very low.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Substances with these properties in accordance with the criteria set out in Commission Regulation (EU) 2017/2100 or (EU) 2018/605 are not included.

12.7. Other adverse effects

The mixture is a potential contaminant. Do not allow mixture to enter soil, ground or surface water or drains. Observe the usual environmental precautions.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of as hazardous waste, hand over for disposal to an authorized person or to a hazardous waste collection yard (disposal eg. in a hazardous waste incinerator). Dispose of mixture and packaging residues in accordance with local waste disposal regulations. Suitable methods for disposing of contaminated packaging Dispose of as hazardous waste according to local regulations. Uncontaminated packaging can be recycled.

Waste management legislation

Waste Act No. 185/2001 Coll. as amended. Act No. 477/2001 Coll., On packaging, as amended.

Waste type code

14 06 03* other solvents and solvent mixtures

SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

Packaging waste type code

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

14.7. Maritime transport in bulk according to IMO instruments

Can not be used.

Additional information

Always carry closed containers in upright position. Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals.

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

>=30 % aliphatic hydrocarbons

15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.

Guidelines for safe handling used in the safety data sheet

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to in accordance with local regulations.

A list of additional standard phrases used in the safety data sheet

H373 Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the supplier can not control the specific conditions of use of the mixture, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
NPK	Maximum admissible concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Asp. Tox.	Aspiration hazard

Training guidelines

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended. Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use



SAFETY DATA SHEET

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

NO1

Creation date	22nd October 2003	Version	16.0
Revision date	15th June 2023		

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

Information about data sources used to compile the Safety Data Sheet

Manufacturer data and toxicological databases.

The changes (which information has been added, deleted or modified)

Adaptation of BL updated Annex II of the REACH Regulation as amended by Commission Regulation (EU) 2020/878. Modification of composition according to BL manufacturer, addition of registration numbers and related data.

Statement

The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.

