

The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## NOVADURIT aktivátor

Creation date 06th April 2011

Revision date 30th May 2024 Version 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** NOVADURIT aktivátor

Substance / mixture mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Activator of anaerobic adhesives

The use descriptors

IS Use at industrial sites

PW Widespread use by professional workers

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name NOVATO

Address Uralská 770/6, Praha, 160 00

Czech Republic

Identification number (CRN)62910370VAT Reg NoCZ62910370Phone+420 233 339 688E-mailpetr.johanides@novato.cz

Web address www.novato.cz

Competent person responsible for the safety data sheet

Name ABITEC
E-mail info@abitec.cz

1.4. Emergency telephone number

European emergency number: 112

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222 Eye Irrit. 2, H319 STOT SE 3, H336

## Most serious adverse physico-chemical effects

The mixture is extremely flammable. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 ° C. Do not puncture or throw an empty container into a fire. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of reach of children.

## Most serious adverse effects on human health and the environment

Inhalation of the aerosol may cause headaches, fatigue, drowsiness. Do not breathe aerosol. Frequent or prolonged skin contact causes dryness or cracking of the skin to dermatitis. Ingestion of the liquid phase can cause abdominal pain and nausea. Follow the instructions in the operating instructions. The mixture is classified as harmful to the environment. Follow the instructions for use to avoid risks to humans and the environment. The mixture must not get into the soil, groundwater or surface water or sewage system. For the full text of the H-Statements mentioned in this Section, see Section 16 of this Safety Data Sheet.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

ay 2024 Version 7

#### 2.2. Label elements

## Hazard pictogram





#### Signal word

Danger

#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.
P261 Avoid breathing vapours and spray.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C.

## 2.3. Other hazards

Neither the mixture nor its components meet the criteria for persistent, bioaccumulative and toxic or highly persistent and highly bioaccumulative substances in accordance with Annex XIII, nor have they been included in the list drawn up in accordance with Article 59, paragraph 1, due to the content of endocrine disruptors, nor has it been determined as a substance with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixture.

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

in the working environment						
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note		
CAS: 124-38-9 EC: 204-696-9	carbon-dioxide	20-50	Press. Gas (liquefied gas), H280	1		
Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2	acetone	10-50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066 Specific concentration limit: Eye Irrit. 2, H319: $C \ge 10 \%$ STOT SE 3, H336: $C \ge 20 \%$	1		
Index: 029-003-00-5 CAS: 1338-02-9 EC: 215-657-0	naphthenic acids, copper salts	<0,5	Flam. Liq. 3, H226 Acute Tox. 4, H302 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)			

#### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version 7

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of health problems or in case of doubt, consult a physician and provide him with the information in this safety data sheet. In case of life-threatening conditions, perform resuscitation. Keep unconscious person in a stabilized position and do not give anything by mouth. Avoid cooling. Do not induce vomiting. In case of spontaneous vomiting, avoid inhalation of vomitus. If burns occur, cool the burn with cold water and cover with a clean cloth.

#### If inhaled

If inhaled, leave the area, rinse the mouth with water, inhale fresh air. If breathing is difficult, give first aid and seek medical advice.

#### If on skin

Wipe the product, wash thoroughly with lukewarm water, soap and treat with regenerating cream. If clothing is contaminated, remove clothing. Seek medical attention if irritation develops.

#### If in eyes

If the affected person has contact lenses, remove them. Flush eyes wide open from the inner corner of the eye towards the outside with plenty of clean lukewarm water, especially the area under the eyelids. Rinse for at least 15 minutes, seek medical attention.

#### If swallowed

In the case of an aerosol product, ingestion is very unlikely. Do not induce vomiting, rinse mouth with water. Seek medical attention immediately and present this safety data sheet. Danger of vomiting!

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhalation may cause mild irritation of the mucous membranes and respiratory tract. Inhalation of vapors causes headaches, dizziness, malaise, fatigue and general weakness.

#### If on skin

Frequent or prolonged skin contact causes dryness or cracking of the skin to dermatitis.

#### If in eyes

Irritating to the eyes (watering, burning, itching, redness, conjunctivitis).

## If swallowed

The penetration of the liquid fraction into the respiratory tract upon ingestion or aspiration of the vomiting following emesis may result in bronchopneumonia or pneumonia.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is not required during normal use of the mixture. Required only if symptoms reach a certain level, as indicated in paragraphs 4.1 and 4.2; is symptomatic.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Multipurpose powders, alcohol resistant foam, CO2, foam, water mist, sand.

## Unsuitable extinguishing media

Full stream of water. Crushed water can be used to cool the containers near the fire.

## 5.2. Special hazards arising from the substance or mixture

Extremely flammable mixture. Incomplete combustion can produce toxic gases (COx, hydrocarbons etc.). Do not inhale decomposition products. Pressure overpressure can occur at elevated temperatures packaging and its tearing. Solvent vapors are heavier than air, they accumulate in lower positions. In mixtures with air may form an explosive mixture. There is a risk of re-ignition.

## 5.3. Advice for firefighters

Isolation breathing apparatus and non-flammable intervention suit. Use non-sparking tools. Cool containers exposed to fire with water spray or foam. Burning residues and post-intervention water should be disposed of as hazardous waste.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Prevent unauthorized entry, ensure free escape. Ensure adequate ventilation, do not breathe aerosol. Eliminate possible sources of ignition, do not smoke, do not handle open flame, do not expose to direct sunlight. Use non-sparking tools, avoid electrostatic charge. Avoid contact with skin and eyes - use personal protective equipment.

#### 6.2. Environmental precautions

Provide a spill area, prevent leakage into drains, soil, surface and ground water. In case of a large liquid leak, monitor the NPK concentrations resp. TLV and inform the relevant public authorities and the flow or sewerage manager.

#### 6.3. Methods and material for containment and cleaning up

Stop the leak. In case of large leakage of liquid fraction, drain the mixture. The aerosol evaporates, ensure adequate ventilation. In case of a minor leakage of the liquid fraction, cover with a non-flammable sorbent (sand, diatomaceous earth, soil, universal sorbent, etc.), store the used sorbent in a closable waste container, mark it and dispose of it as hazardous waste. Wash contaminated area with water.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Ensure sufficient ventilation of the work area. Avoid contact with open flames and other sources of ignition. Protect from direct sunlight. Use non-sparking tools. Take precautions against static electricity. Prevent the formation of gases and vapors in flammable or explosive concentrations and concentrations exceeding the highest permissible concentration (NPK-P) for the working atmosphere. Do not even open the empty packaging or throw it into a fire. Protect eyes and skin, do not inhale aerosol or vapors, use personal protective equipment according to sec. 8. Pay attention to the valid legal regulations on safety and health protection. Observe the principles of hygiene when working with chemicals, do not eat, drink or smoke while working. Wash your hands with warm soapy water before breaks, meals and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in original containers at temperatures up to 50 ° C in dry, well-ventilated areas. Store away from heat, protect from direct sunlight and external weather conditions. Store away from food, drink and animal feeding stuffs. Store separately as flammable. No smoking. Observe the general regulations for storage of pressure vessels. Follow the instructions on the label.

Content	Packaging type	Material of package
200 ml	aerosol can	FE

Storage class
Storage temperature

2B - Aerosols max. 50 °C

## 7.3. Specific end use(s)

It is not.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

#### **Czech Republic**

## Government Regulation 330/2023 Coll.

Substance name (component)	Туре	Value	Note
	PEL	9000 mg/m <sup>3</sup>	
carbon diavida (CAS, 124, 29, 0)	PEL	4921 ppm	
carbon-dioxide (CAS: 124-38-9)	NPK-P	45000 mg/m <sup>3</sup>	
	NPK-P	24603 ppm	
acetone (CAS: 67-64-1)	PEL	800 mg/m <sup>3</sup>	irritating to mucous membranes (eyes, respiratory system) and skin



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## NOVADURIT aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version

#### Czech Republic

#### Government Regulation 330/2023 Coll.

Substance name (component)	Туре	Value	Note
	PEL	331,4 ppm	
acetone (CAS: 67-64-1)	NPK-P	1500 mg/m <sup>3</sup>	irritating to mucous membranes (eyes, respiratory system) and skin
	NPK-P	621,4 ppm	

#### **European Union**

## Commission Directive 2006/15/EC

Substance name (component)	Туре	Value	Note
carbon-dioxide (CAS: 124-38-9)	OEL 8 hours	9000 mg/m <sup>3</sup>	
Carbon-dioxide (CAS: 124-38-9)	OEL 8 hours	5000 ppm	

## 8.2. Exposure controls

Ensure sufficient ventilation or extraction of the work area. In case of exceeding the NPK-P, use suitable respiratory protection. Avoid contact with skin and eyes, do not inhale aerosols, gases and vapors. Observe hygienic measures when working with chemicals. Do not eat, drink and smoke during work. Wash hands with lukewarm soap and water before breaks, meals and after work. Adapt personal protective equipment to the nature of the work.

## Eye/face protection

Closed safety glasses.

#### Skin protection

Protective workwear made of natural fibers or synthetic fibers resistant to high temperatures; remove contaminated clothing, wash before further use. Wash affected skin thoroughly with water. Safety gloves. Observe the recommended penetration time of the glove material. When choosing, follow the manufacturer's recommendations, the material must be impermeable and resistant to the components of the mixture. Replace damaged gloves.

#### Respiratory protection

Respirator. In case of insufficient ventilation or long-term exposure, use a mask with a filter against organic vapors and aerosols. In case of exceeding the limits or under intense load, use a self-contained breathing apparatus.

## Thermal hazard

Exposure to elevated temperatures may result in tearing of the aerosol container when overheating.

## **Environmental exposure controls**

It is not necessary if handling conditions are observed. Observe normal environmental precautions, do not allow to enter drains, soil or water sources.

## More information

Ensure compliance with governmental regulation 361/2007 Coll., Laying down the conditions for the protection of health at work, as amended, and to fulfill the obligations contained therein.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state liquid
Colour green
Odour characteristic

Melting point/freezing point data not available

Boiling point or initial boiling point and boiling range 80 °C

Flammability Flammable Class I.

Lower and upper explosion limit

bottom 0.9 % upper 8 %



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version

insoluble

Flash point data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
pH data not available
Kinematic viscosity data not available

Partition coefficient n-octanol/water (log value) data not available

Vapour pressure 245 hPa at 20 °C (acetone)

Density and/or relative density

Relative vapour density

Particle characteristics

data not available
data not available
data not available

#### 9.2. Other information

Solubility in water

VOC content (according to EU): 0,98 kg/kg It is not explosive. Solvent vapors can mix with air

create an explosive mixture.

Density and/or relative density (at 20 °C): 723 kg/m3 - Liquid fraction

Soluble in org. solvents – alcohols, ethers, chlorine solvents Content of non-volatile substances (dry matter): 1 – 5% vol.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The mixture is flammable. In normal conditions, the mixture does not show dangerous reactions.

## 10.2. Chemical stability

The mixture is stable under normal environmental conditions, storage and handling.

## 10.3. Possibility of hazardous reactions

Danger of exothermic reaction in contact with strong acids and oxidizing agents. Risk of explosion of the pressure package when heated.

#### 10.4. Conditions to avoid

Temperatures above 50 °C, contact with open flames, possible sources of ignition and hot surfaces, sparks, static electricity. Avoid the formation of a concentration within explosive limits.

## 10.5. Incompatible materials

Flammable materials, strong oxidizing agents, strong acids and alkalis.

## 10.6. Hazardous decomposition products

Under normal conditions, the mixture does not decompose. Imperfect combustion or thermal decomposition produces toxic combustion products: COx, heavy smoke, hydrocarbons, etc.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture meets the criteria for classification according to EC Regulation No. 1272/2008. The mixture is classified as dangerous in the sense of EC Regulation No. 1272/2008, as amended. Inhalation of solvent vapors in concentrations exceeding the occupational exposure limit may lead to acute inhalation poisoning, depending on the level of concentration and duration of exposure.

#### **Acute toxicity**

The mixture is not classified as acutely toxic by any way of exposure.

NOVADURIT aktivátor					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	ATE	500000 mg/kg			

## Skin corrosion/irritation

Based on available data the classification criteria are not met.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version

#### Serious eye damage/irritation

The mixture is classified as eye irritant, category 2. Causes serious eye irritation.

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

## Reproductive toxicity

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - single exposure

The mixture is classified as toxic for specific target organs after single exposure, category 3. It can cause drowsiness, dizziness, the mixture has narcotic effects.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

## **Aspiration hazard**

Based on available data the classification criteria are not met.



## 11.2. Information on other hazards

It does not contain substances causing disruption of the endocrine system. Inhalation of aerosol or vapors can cause coughing, headaches, fatigue, drowsiness, lassitude, even narcotic states, and in extreme cases even unconsciousness. It irritates the skin (redness, itching, burning). Frequent or long-term contact with the skin can cause dryness, cracking of the skin and even dermatitis. Direct contact with the eyes can cause slight short-term eye irritation (redness, burning in the eyes, tearing). Ingestion of the liquid fraction into the respiratory system during ingestion or aspiration of vomit during subsequent vomiting may cause bronchopneumonia or pulmonary edema.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Observe the usual environmental precautions.

#### **Acute toxicity**

acetone						
Parameter	Value	Exposure time	Species	Environment		
EC50	8800 mg/l	48 hours	Invertebrates (Daphnia magna)			
LC50	5540 mg/l	96 hours	Fish			

## 12.2. Persistence and degradability

Data not available.

## 12.3. Bioaccumulative potential

Not determined, bioaccumulation is unlikely.

## 12.4. Mobility in soil

The mixture is not very mobile.

## 12.5. Results of PBT and vPvB assessment



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

2024 Version

The mixture does not contain substances from the PBT and vPvB groups according to Annex XIII of the REACH Regulation, as amended.

## 12.6. Endocrine disrupting properties

Substances with these properties in accordance with the criteria set out in Commission Regulation (EU) 2017/2100 or (EU) 2018/605 are not included.

#### 12.7. Other adverse effects

It endangers drinking water even in the case of penetration of a small amount. The mixture is very toxic to aquatic organisms, it must not get into the soil, underground or surface water or sewage system. Observe the usual environmental protection measures.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Dispose of as hazardous waste. Dispose of at an authorized person or to a hazardous waste collection yard. Dispose of mixture and packaging residues in accordance with local waste disposal regulations. Dispose of contaminated packaging as hazardous waste.

## Waste management legislation

Act No. 477/2001 Coll., On Packaging, as amended. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

#### Waste type code

14 06 00 waste organic solvents, refrigerants and foam/aerosol propellants

#### Packaging waste type code

15 01 11\* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

15 01 10\* packaging containing residues of or contaminated by hazardous substances

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## **SECTION 14: Transport information**

#### 14.1. UN number or ID number

UN 1950

## 14.2. UN proper shipping name

**AEROSOLS** 

## 14.3. Transport hazard class(es)

2 Gases

## 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

Nο.

## 14.6. Special precautions for user

Transport in packages that match the properties of the mixture. Observe the prescribed marking for cargo.

#### 14.7. Maritime transport in bulk according to IMO instruments

Can not be used.

## **Additional information**

Hazard identification No.

UN number Classification code Safety signs



5F 2.1





The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version

Road transport - ADR

Special provisions 190, 327, 344, 625

Limited quantities 1 L Excepted quantities E0

**Packaging** 

Packing instructions P207, LP200 Special packing provisions PP87, RR6, L2

Mixed packing provisions MP9
Transport category 2
Tunnel restriction code (D)

Special provision for

packages V14

loading, unloading and handling CV9, CV12

operation S2

Railway transport - RID

Special provisions 190, 327, 344, 625

Excepted quantities E0

**Packaging** 

Packing instructions P207, LP200 Special packing provisions PP87, RR6, L2

Mixed packing provisions MP9
Transport category 0

**Special provision for** 

packages

loading, unloading and handling

W14

CW9, CW12

Air transport - ICAO/IATA

Packaging instructions for limited amount Y203
Packaging instructions passenger 203
Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U MFAG 620

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Commission Delegated Regulation (EU) 2021/849 of 11 March 2021 amending, for the purposes of adapting to technical and scientific progress, Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of substances and mixtures. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals.

## 15.2. Chemical safety assessment

No chemical hazard assessment was performed for this mixture.

## More information

This information only indicates the basic regulations listed in this Safety Data Sheet. Please note the possible existence of additional regulations supplementing these Regulations. We refer to all applicable national, international and local regulations and regulations.



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) .

## NOVADURIT aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version 7

#### **SECTION 16: Other information**

## A list of standard risk phrases used in the safety data sheet

Extremely flammable aerosol. H222 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P261 Avoid breathing vapours and spray.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C.

## A list of additional standard phrases used in the safety data sheet

Repeated exposure may cause skin dryness or cracking.

#### Other important information about human health protection

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the supplier can not control the specific conditions of use of the mixture, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

## Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population **EINECS** European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan FU European Union

**EuPCS** European Product Categorisation System IATA International Air Transport Association

International Code For The Construction And Equipment of Ships Carrying **IBC** 

**Dangerous Chemicals** 

**ICAO** International Civil Aviation Organization IMDG International Maritime Dangerous Goods IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization **IUPAC** International Union of Pure and Applied Chemistry

Lethal concentration of a substance in which it can be expected death of 50% of the LC50

population

log Kow Octanol-water partition coefficient NPK Maximum admissible concentration OEL Occupational Exposure Limits PBT Persistent, Bioaccumulative and Toxic



The safety data sheet complies with Commission Regulation (EU) 878/2020 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

## **NOVADURIT** aktivátor

Creation date 06th April 2011 Revision date 30th May 2024

Version

PEL Permissible Exposure Limit

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity
Aerosol Aerosol

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Press. Gas Gases under pressure

STOT SE Specific target organ toxicity - single exposure

#### **Training guidelines**

According to § 103 and § 104 of Act No. 262/2006 Coll., The Labor Code, as amended. Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

## **Recommended restrictions of use**

The mixture should not be used for any purpose other than that for which it is intended (see point 1.2). Because the specific conditions of use of the substance are beyond the control of the supplier, it is the responsibility of the user to adapt the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and can not be considered as technical product information.

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

Adaptation of BL updated Annex II of the REACH Regulation as amended by Commission Regulation (EU) 2020/878.

#### Statement

The safety data sheet contains the data needed to ensure safety and health at work and environmental protection. These data correspond to the current state of knowledge and experience and are in accordance with applicable legal regulations. They can not be considered as a guarantee of the suitability and usability of the product for a specific application. The user is responsible for the treatment under existing laws and regulations.